


## **GRAVELY**

PROUDLY ANNOUNCES THE NEW



## **⊗ GRAVELY** Commercial 10

NEW POWER-ALL-GEAR-DRIVE- Convertible!

### NOW - Specifically designed for the Commercial Groundsman - the NEW

### GRAVELY Commercial 10

Now, for the first time, there is a rugged, heavy-duty, compact tractor specifically designed and manufactured for year-round mechanized commercial grounds maintenance.

Professional groundsmen prefer Gravely equipment 2 to 1 over others now.\* So why is Gravely introducing a NEW Commercial tractor?

Because Gravely knows what you, the professional groundsman, needs. (Who else could know better?)

The Commercial 10 gives you more power; safer, easier handling; less truly a complete system of year-round grounds maintenance.





#### THE RIDER YOU CAN CONVERT TO A WALKER ...

#### With All-Gear-Drive power and performance.

The Commercial 10 is a rider for the mowing jobs, the hauling jobs, the lawn care jobs. But when you hit the terraces, the slopes, the trimming tasks . . . when you want to work the ground, take the tractor into the brush and the rough, just pull a pin and you have a powerful, obedient walker that you handle safely in the roughest areas.

And the Gravely is all-Gear-Drive. Not just all-gear transmission, not just "direct drive," but all-gear-and-splined-steel-shafts right from the engine crankshaft to the job. The only belts on the Gravely Commercial Tractor operate the Starter Generator! And most attachments are all-gear-drive. Gravely means power to the job-all the way!

## PRACTICAL ALL - SEASON - USE


The Commercial 10 is a practical multipurpose tool. Each power attachment becomes an integral part of the tractor, securely attached with only four bolts—quickly and easily changed. Trail-behind tools drop and attach by pulling one pin.

Gravely gives you the widest choice of heavy duty


- 1. Mower, 30" Reel
- 2. Mower, Gang Reel, Set 75"
- 3. Mower, 30" Rotary
- 4. Mower, 40" Rotary 5. Mower, 50" Rotary
- 6. Mower, Sickle 42" or 60"
- 7. Aerator, Lawn 8. Roller, Lawn, 32"
- 9. Seeder-Spreader, 5'
- 10. Sweeper, Lawn, 30" 11. Sweeper, Lawn,
- Gang, 75"

  12. Cultivator, Rotary
- 13. Plow, Rotary
- 14. Cultivator Toolholder. Front

- 15. Brush, Power (Sweeper), 38"
- 16. Snowblower, 26" 17. Snowblower, 34"
- 18. Snow Plow, 48"
- 19. Rider
- 20. Cart, Steel
- 21. Pump, Utility
- 22. Scraper, Blade, 36" 23. Sprayer, 20 Gallon 24. Planter Drill, Complete
- with 19" Blades 25. Planter Drill, Complete
- with 10" Blades 26. Power Take-Off, less Pulley
- 27. Saw, 18" Circular



**NEW TRIMMING EASE** 



**NEW HANDLING EASE** 



**OUT-FRONT VISIBILITY** 

#### **SPECIFICATIONS**

**Engine:** Gravely. One-cylinder, four-cycle, L-head type with removable head. Air cooled by centrifugal flywheel blower. Automatic compression release.

Bore: 31/4". Stroke: 27/8".

Rings: One oil ring, two com-

pression rings.

**Valves:** Mechanical. Stellite exhaust valve seat. Positive rotor on exhaust valve.

Carburetor: Carter.
Oiling System: Splash.
Magneto: Flywheel.
Air Cleaner: Dry-type.

Bearings: Main bearings, pre-

cision ball.

Horsepower: 10 HP at 3600

RPM.

**Transmission:** Transmission and timing gears of alloyed iron and hardened steel. Precision cut teeth.

**Differential:** Automotive gear type, hardened steel cut beveled gears, steel worm gear, special alloyed bronze worm gear.

Clutch: Two double-acting cone-type clutches, one as speed selector, one for forward and reverse. Planetary gear system. Clutch bands bonded lining to heavy duty grey iron casting.

Safety Clutch: Power attachments individually protected from shock by safety clutch consisting of two fiber discs and one steel disc enclosed in spring-loaded driving plates. Discs slip under sudden shock; remain engaged to drive attachment at full horse-power under load.

Height: 28" (to top of hood.)
Width: 24" at widest point.
Length: 55" (without attachments.)

Weight: Net 475 lbs.

**Throttle:** with internal governor. Manual choke.

Fuel Capacity: 13/4 gallons. Chassis Oil Capacity: 5 quarts.

**Tires:** 4.00x8, 16" outside diameter. Two-ply, sure-grip or diamond tread.

**Starter:** Electric starter-generator.

Form Number S-164 Dated: July 25, 1966.

Printed in U. S. A.

# Here are the Reasons why GRAVELY is preferred by Groundsmen – 2 to 1 . . .\*

Look at the features—then ask to see the powerful new Commercial 10. Try it on your toughest jobs. You'll see why Gravely is preferred by the professionals. And you'll see that Gravely's new Commercial 10 has guts, power, real versatility—that it saves you money.

ALL-GEAR-DRIVE . . . not just "direct" or "all-gear transmission" . . . but ALL-gear-drive from crankshaft to the job.

ALMOST INDESTRUCTIBLE . . . as our users tell us. The Gravely is a long-term investment—built to take the tough, day-in-day-out working that professionals give it.

**OUT-FRONT** attachments . . . for safety, visibility. You can **SEE** what you're doing every minute with the Gravely Commercial 10. And the operator is a tractor length away from any trouble!

WORKS THE SLOPES . . . low center of gravity, and traction-designed unit makes working slopes, terraces and rough places practical. With optional Dual Wheels, works 60% slopes.

**CONVERTIBLE** from the Riding Commercial to the walking commercial by pulling one pin!

#### FREE DEMONSTRATION

Anyone can make claims. Ours are backed by 50 years of manufacturing, selling and servicing Gravely Equipment. We have no sidelines, no other business.

But in addition, we don't ask you to buy until you have seen the equipment operating on your ground, under your conditions. Ask for a free demonstration. Write now!

\* Grounds Maintenance Magazine Survey, May 1966, as reported in L.G.O.L.







Gravely Lane, Dunbar, West Virginia 25064