

 **GRAVELLY**®



LIKE NOBODY ELSE

GRAVELLY[®] LIKE NOBODY ELSE.

It's doubtful that you can make any wiser investment in a lawn and garden tractor than a Gravelly.

If that statement sounds somewhat less than modest, we stand by it, for we sincerely believe it. We take honest pride in the fact that Gravelly tractors are different. Different in concept, different in construction. Different to give you unsurpassed performance, durability, and long-term value. As you go through this catalog, you'll see why Gravelly is, in truth, like nobody else.



sincerely believe it. We take honest pride in the fact that Gravelly tractors are different. Different in concept, different in construction. Different to give you unsurpassed performance, durability, and long-term value. As you go through this catalog, you'll see why Gravelly is, in truth, like nobody else.

It's not a matter of styling, although Gravelly tractors are handsomely designed. Their important differences lie within. In significant engineering concepts and precision manufacturing that pays off in tractors that give you more of what you need.

If you have a lawn to mow, you want equipment that cuts smoothly and evenly. That cuts a generous swath to speed the job. That's maneuverable and easy handling to get around buildings, shrubbery, and plantings. And that will handle the rough areas, weeds and undergrowth as well as the wide open spaces.



For gardening, you want a tractor that powers attachments to do a wide variety

of jobs and do them well. Equipment to plow, cultivate, till, grind compost, spray and more. Equipment that's matched to the tractor for easy hookup and efficient operation.


And you'll want to handle other jobs like plowing or blowing away snow, hauling anything from mulch to firewood and even light earth moving. Gravelly tractors are geared up for this, too.

That's because every Gravelly tractor is designed with the work in mind. For almost 60 years, we've looked at the job to be done, then figured out a way to make it efficient and easy for you.



Our Gravelly dealers have the same attitude. They're sincere, knowledgeable people who not only know the equipment, but how best to use it. They can give you good, sound advice . . . reliable, reasonably priced service . . . and the Gravelly tractors and attachments you need. That's what makes Gravelly really different, tractors *and* dealers like nobody else.

Look through this catalog and see what Gravelly can do to make your grounds more beautiful, your gardens more productive, and your life easier. Then visit your Gravelly dealer and let him *show* you.





Gravelly 816S, 16 hp Riding Tractor with 50-inch Rotary Mower and optional Chrome Wheel Covers

GRAVELLY RIDERS...THE BIG JOB TRAF

"...LONG FAMOUS FOR WHAT IS PROBABLY THE WORLD'S MOST RUGGED SMALL GEAR-TYPE TRACTOR DRIVE."

Reprinted from Popular Science with permission.
Copyright 1975, Times Mirror Magazines, Inc.

Every Gravelly 800-series riding tractor features the exclusive Gravelly 8-speed transmission. This is not a "stock" unit, built by another manufacturer and available to anyone who wants to put it on a tractor. This unique transmission was conceived by Gravelly, designed by Gravelly, and is built by Gravelly for use exclusively by Gravelly. It gives you the speeds and the power you need to do the job right.

PEAK POWER PERFORMANCE

The Gravelly 8-speed transmission was a result of a long and careful study of the wide variety of jobs demanded of a fine lawn and garden tractor. It must deliver steady peak power at low ground speeds to handle jobs like plowing, tilling, earth-moving, and snow removal. It must offer a choice of speeds for mowing . . . slower speeds for close-in work, faster ones to make quick work of big open areas. And it must have a rapid ground speed to get to and from the job quickly.

That's why the Gravelly transmission gives you a choice of eight operating speeds all the way from 1/2 mph crawl to a snappy 8 1/2 mph transport speed.

The all-gear drive means there are not belts to slip or break under heavy loads, no fluid drive transmission "surge" at low speeds. You get the speed you set . . . return to it exactly



810

812

816S


816

FACTORS

and precisely every time without jockeying or jiggling. And hardened steel gears deliver maximum engine power to the job for peak efficiency and precise operation.

TORTURE TESTED AND JOB PROVEN

The Gravely 8-speed, all-gear transmission has proved itself in torture tests like the 306-mile "Great Gravely Durability Mow" from Washington, D.C. to New York City and the demanding mow of "The World's Worst Lawn". But more importantly, it has proved itself in years and miles of satisfactory service on lawn and garden jobs throughout the country. That's why it has earned high praise from the experts . . . home owners, professional groundskeepers, and knowledgeable editorial writers. It's truly . . . like nobody else!



Exclusive 8-speed, all-gear transmission




Steel shaft and gear drive to attachments



One-lever instant forward-neutral-reverse

ALL-GEAR-DRIVE

Hydraulic Lift, standard equipment on 816. Optional equipment on most other riding tractors. Raises, lowers and floats attachments.



Easy access door for battery service

Convenient console type instrument panel, easily seen and read

5.3 gallon fuel tank...less down time



Transmission brake

Optional front P.T.O. drive gives versatility of out-front attaching

Optional independent rear wheel brakes for special job applications, better steering.



Headlights for all models except 810, gets you home after dusk



Your choice of engine horsepower from 10, 12, 16 or 16.5 hp

Optional front and rear weight rack kit. Holds up to 200 pounds to give added weight for special applications. (Weights not included in kit)

Optional rear wheel weights can be stacked for added weight in special job applications. Front wheel weights also available.



Sturdy, pivoted front axle and Rack and Pinion steering give precise control.

External friction clutches for positive power transfer in either forward or reverse, easier to adjust too

Safety interlock ignition system

Attachments mount to front, center or rear to handle year 'round lawn, gardening, and snow removal chores

Wide, comfortable full length footrests

MORE REASONS WHY GRAVELY IS...LIKE NOBODY ELSE!

In addition to the exclusive all-gear, 8-speed transmission, Gravelly offers you convenience and features that make it even more of a value. Handling is simplified with the single instant forward-neutral-reverse lever that gets you in and out of tight places, lets you "nibble away" at extra-heavy work. One smooth action moves you from forward through neutral to slow-speed reverse or back again. Rack and pinion steering gives you precise control, and the rear-mounted engine puts the weight where it will do the most good . . . right over the rear wheels for extra traction.

EXTRA HEAVY DUTY CONSTRUCTION

Gravelly construction features mean extra durability and long life. A reinforced box beam frame supports

attachments and takes rough going with ease, while the pivoted front axle is the heaviest, strongest in the industry. And matching the durability of the all-gear transmission is the steel-shaft and gear drive that runs all the way down to the attachment.


FULL CONVENIENCE FEATURES

For convenience, there's key electric starting with safety interlock . . . an easy-to-understand, easy-to-use control panel . . . a comfortable semi-bucket seat with thick foam padding on a spring-supported deck. Most models come with bright headlights so you won't be caught by dusk. And the Model 816 even has a cigar lighter. So look over the Gravelly riders . . . like nobody else!


SPECIFICATIONS GRAVELY RIDING TRACTORS

| | 816 | 816S | 812 | 810 |
|---|-----|------|-----|-----|
| ENGINES (Cast Iron) Onan, opposed 2-cylinder, four cycle, air cooled | ● | | | |
| Briggs & Stratton single cylinder, four cycle synchro-balanced, air cooled, automatic compression release | | ● | | |
| Kohler single cylinder, four cycle, air cooled, automatic compression release | | | ● | ● |
| HORSEPOWER 16.5 HP at 3600 RPM | ● | | | |
| 16 HP at 3600 RPM | | ● | | |
| 12 HP at 3600 RPM | | | ● | |
| 10 HP at 3600 RPM | | | | ● |
| FUEL SYSTEM Automotive type, diaphragm fuel pump | ● | | ● | ● |
| Pulse-type fuel pump | | ● | | |
| STARTING SYSTEM Automotive Bendix gear starter for positive start, 12 Volt system, Key ignition with Safety Interlock | ● | ● | ● | ● |
| AIR CLEANER Carburetor mounted dry type with replaceable element | ● | ● | ● | ● |
| OIL CAPACITY (Engine) 4 Pints | ● | ● | ● | ● |
| (Transmission) 6 Quarts | ● | ● | ● | ● |
| FUEL CAPACITY 5.3 U.S. Gallons | ● | ● | ● | ● |
| LUBRICATION SYSTEM (Engine) Splash | | ● | ● | ● |
| Force feed oil pump | ● | | | |
| TRANSMISSION SPEEDS All-gear, eight speeds | ● | ● | ● | ● |
| SPEED RANGE 0.5-8.54 MPH | ● | ● | ● | ● |
| ATTACHMENT POWER TAKE-OFF Positive All-Gear & Friction Clutch Drive with Safety Interlock | ● | ● | ● | ● |
| TIRES (Pneumatic) Front: 16x6 50-8 Lawn & Garden tread | ● | ● | ● | ● |
| Rear: 23x8 50-12 Lawn & Garden tread | ● | ● | ● | ● |
| TURNING RADIUS (Equal right & left) 8 feet | ● | ● | ● | ● |
| (Inside) 3.6 feet | ● | ● | ● | ● |
| SHIPPING WEIGHT (approximate) 960 pounds | ● | | | |
| 900 pounds | | ● | ● | |
| 880 pounds | | | | ● |
| LENGTH 75.5 Inches | | ● | ● | ● |
| 81.5 Inches | ● | | | |
| WIDTH 36.25 Inches | | ● | ● | ● |
| 41.75 Inches | ● | | | |
| HEIGHT 43 Inches | ● | ● | ● | ● |
| HYDRAULIC LIFT (standard) | ● | | | |
| (optional) | | ● | ● | |
| (not available) | | | | ● |
| HEADLIGHTS (standard) | ● | ● | ● | |
| (not available) | | | | ● |


ALLIED EQUIPMENT - RIDING TRACTORS




Brinly-Hardy Roller Aerator




Arps Mini-Rake




Arps Mini-Blade




Amerind-MacKissic Compost Shredder




Kwik-Way Front End Loader




Brinly-Hardy Rear Blade w/Scarifier



Roxy-Bonner Gang Reel Mowers




Haban Sickle Mower




Kensico Lawn Aerator




E-Z Rake Vac Sweepers



Amerind-MacKissic 22-gallon Sprayer




Garber Seeder Spreader




Cozy Cab Metal Winter Cab




W-W Grinder Corp. Grinder/Shredder




Brinly-Hardy Compactor Rake



Brinly-Hardy Mold Board Plow




Brinly-Hardy Lift-type Disc Harrow




Brinly-Hardy Row Crop Cultivator




Brinly-Hardy Power Caster




Brinly-Hardy Garden Planter & Fertilizer Unit




Brinly-Hardy Tool Bar



Ohio Steel Fabricators Mold Board Plow




Ohio Steel Fabricators Cultivator



Ohio Steel Fabricators Disc Harrow



E-Z Rake 101 Lawn Thatcher



Nortech Log Splitter

All Allied Equipment is warranted by individual manufacturers and not by Gravely. Gravely only asserts it will not void the warranty on Gravely tractors if used properly.



Gravely 816, 16.5 hp Riding Tractor with 50-inch Rotary Mower

CUT A WIDE SWATH WITH THE GRAVELY 50" ROTARY MOWER

Make short work of the big jobs with Gravely's big mower. Three offset blades give you a smooth, even cut over four feet wide. And by selecting the appropriate ground speed on Gravely's 8-speed transmission, you can handle even the thickest, lushest grass. Its quick-set height adjustment with gauge wheels gives you an accurate cut from 1½ to 4 inches.

Attaching is easy too. Drive right over its sturdy housing and connect without tools. No need to remove it when you're towing something like a cart or spreader. Just raise it to the "up" position and you have plenty of ground clearance. With the Power Take-Off control in neutral, you can go most anywhere.

GRAVELY'S FINEST, THE MODEL 816

The 50" mower is a good match for our big and tough

model 816 tractor. A powerful 2-cylinder Onan engine delivers 16½ HP to the tractor and attachments. And a reliable hydraulic attachment lift is standard equipment. It raises, lowers, or floats front, center, and rear-mounted attachments to make handling and operation extra easy. The Gravely 816 is our finest, most powerful Gravely, ready to handle a host of mowing and grounds maintenance jobs for you.

SPECIFICATIONS: 50-inch Rotary Mower, Center-Mount

Drive: Universal shaft and right angle bevel gear drive through aluminum die cast gear housing with tapered roller bearings. Single horizontal, spring tensioned "V" belt driving three spindles with tapered roller bearings. Hi-lift blades. Heavy-duty reinforced steel deck. Cutting height: 1½ to 4 inches. Cutting width: 50 inches. Net weight 252 lbs.



Gravely 810, 10 hp Riding Tractor with 40-inch Rotary Mower, optional front and rear Wheel Weights, and optional Lift Assist Kit.

THE MANEUVERABLE GRAVELY 40" ROTARY MOWER-

For the smaller lawn, for grounds with numerous obstacles and plantings, for Gravely tractors with lower horsepower, the 40" mower may be your best choice. Built to the same rugged standards as our 50" model, it gives the same smooth triple-blade cut and easy height adjustment, the same ease of attachment, and the same long-life durability. Its smaller size gives more maneuverability and suits it to our smaller tractors, and its smaller price makes it easier to own.

A BARGAIN IN GRAVELY DURABILITY

The 40" rotary mower is an ideal companion to the Model 810 Gravely riding tractor. The 810 comes with a sturdy 10 HP, single cylinder, 4 cycle engine. Manual attachment lift

is standard (hydraulic lift not available for this model), but a spring-loaded, lift assist kit is available and is shown on the tractor above. Other than that, the 810 offers the same durable construction, all-gear transmission, forward-neutral-reverse action, and size. It's a lot of Gravely durability for the money.

SPECIFICATIONS: 40-inch Rotary Mower

Drive: Universal shaft and right angle bevel gear drive through die cast aluminum gear housing with tapered roller bearings. Single horizontal spring tensioned "V" belt, driving three spindles with tapered roller bearings. Hi-lift blades. Cutting height: 1½ to 4 inches, adjustable. Cutting width: 40 inches. (40" center-mount will not fit Gravely 816 Riding Tractor.)



Gravelly 816S, 16 hp Riding Tractor with 40-inch Commercial Rotary Mower, and optional Front Wheel Weights

FOR THE TOUGH JOBS... THE 40" COMMERCIAL ROTARY MOWER

If your grounds pose a particular mowing problem, our out-front, 40" Commercial Rotary Mower may be just the unit to solve it. The Commercial 40 is built extra-rugged to give years of use and fine results even in the rough places. Its twin blades will not only handle your lawn, but keep undergrowth and meadow areas trimmed up, too.

And because it's out in front of the tractor, you can see where you're going, trim long grass before it's matted by tractor wheels, get under shrubbery and around obstacles much more easily.

THE POWERFUL MODEL 816S TRACTOR

For the best in basic quality plus high power smooth running performance, try out the Gravelly 816S tractor. On the rugged Gravelly frame, with its box beam construction and rack and pinion steering, you get a tough Briggs and

Stratton 16 HP, single cylinder engine. It gives you the output you need to handle almost any job, along with established reliability. The 816S comes with a manual attachment lift as standard, but a hydraulic lift is available as optional equipment. Like the other Gravelly riders, the power take-off runs at constant RPM regardless of ground speed to operate attachments at their optimum performance speed at all times.

40-Inch Commercial Rotary Mower, Front Mount

Drive: Right angle bevel gear drive through cast iron housing with tapered roller bearings to horizontal spring-tensioned "V" belts that drive two spindles with tapered roller bearings mounted on welded reinforced deck. Hi-lift blades. Cutting height: 1½ to 4 inches. Cutting width: 40 inches. Net weight: 180 lbs. (Requires Front Drive Kit, Front Adapter Kit, Front Wheel Weights recommended)



Gravelly 812, 12 hp Riding Tractor with All-Steel Hauling Cart

HAUL THE BIG LOADS IN THE GRAVELLY CART

Whether you're fixing up or cleaning up, the Gravelly cart is one of the most useful attachments you can invest in. It has big capacity to carry three or four bales of straw or peat moss . . . up to a half-ton of soil or compost . . . bricks, stone, and bags of cement . . . limbs, brush and clippings . . . tools and ladders . . . whatever needs moving.

Hitch it up with a swift-action pin connection. A pull on the positive latching dump lever releases the body for easy dumping. Heavy gauge steel construction, thick axle, sleeve bearings, and pneumatic tires mean years of smooth-rolling service.

THE MODEL 812...

A LOT OF GRAVELLY FOR THE MONEY

For many properties, the Model 812 Gravelly rider represents an ideal compromise between power and economy. Its reliable Kohler engine puts out a solid 12 HP of labor-saving energy, enough to handle all but the biggest jobs and most extreme conditions. And you get durable Gravelly construction throughout . . . the extra-strong front axle and box beam frame, precise rack and pinion steering, wide comfortable seat, and more. If you prefer the convenience of a hydraulic attachment lift, it's available as an

option. Otherwise, it's the very same tractor as our largest series 800 rider.



Gravelly All-Steel Hauling Cart shown dumping

SPECIFICATIONS: Hauling Cart

ALL-STEEL. Half-ton capacity. Width: 30 inches. Length: 46½ inches. Height of side panels: 11½ inches. Pneumatic tires. Heavy-duty steel axle. Sleeve bearings.



Gravely 816S, 16 hp Riding tractor with all-gear drive Rear Tiller, optional front Weight Rack w/Weights and opt. Rear Wheel Weights

GET YOUR GARDEN GOING WITH THE GRAVELLY REAR TILLER

Start a garden, reseed a lawn, loosen soil with the powerful Gravely rear tiller. It's all muscle, with positive worm gear and steel shaft drive, no belts to slip or break. Hydraulic attachment lift gives precise control and plenty of ground clearance when the tiller is not in use.

The Gravely tiller gives you a 30-inch swath to make the job go fast, thorough tilling action to do the job right. And tough Gravely construction to give long life and service even in heavy soil

superior performance even with varying soil conditions. Combined with the constant speed power take-off, it allows tiller tines to turn at a steady optimum speed while you adjust ground speed to soil conditions. For very heavy or highly compacted soils, you can drop down as low as a ½ mph power crawl so tines take smaller bites. Every Gravely rider gives you this versatility plus positive, all-gear drive.

GRAVELLY TRANSMISSION GIVES BEST TILLING SPEEDS

The eight-speed, all-gear Gravely transmission gives

SPECIFICATIONS: Rear Tiller

NO BELTS. Heavy duty universal drive shaft to worm gear drive. Cast iron gear box with ball bearings. Maximum tilling width: 30 inches. Tine diameter: 14 inches. Tine speed: 154 RPM. Net weight: 180 lbs. Requires: rear P.T.O. Kit. Recommended: Front Wheel Weights and/or Weight Rack plus Weights.



Gravelly 816S, 16 hp Riding Tractor with All-Gear-Drive Rotary Plow

GRAVELLY HELPS YOU PLOW A PERFECT SEEDBED

The unique and exclusive Gravelly Rotary Plow prepares your garden like no other plow or tiller can do. In just one pass, your ground is ready for planting . . . a mellow seedbed of pulverized soil. Four steel blades spin up to 200 RPM, cutting into sides and bottom of furrow turning and spreading earth smoothly and evenly.

Adjustable blades cut furrow up to eight inches wide and seven inches deep in hard soil, up to ten inches deep in light soil. Mulches ground cover to improve humus, moves aside fist-sized rocks without damage. Large obstacles actuate safety clutch to prevent damage. All gear drive for positive power and fast action.

PLENTY OF POWER FROM THE 816S

The 16 HP of the Gravelly 816S makes it an excellent choice for ground preparation. It puts plenty of power to the rotary plow, drives through furrows and soft soil with big rear wheels and the extra traction of its rear-mounted engine. Eight-speed transmission gives just the right speed for soil condition. For improved steering under severe plowing conditions, optional independent rear wheel brakes are recommended to assist control.

SPECIFICATIONS: Rotary Plow

NO BELTS. Right angle bevel gear drive with tapered roller bearings fully enclosed in cast iron housing. Protected by a slip clutch. Four heavy duty forged steel blades. Requires front adaptor kit and front P.T.O. drive. Net weight: 118 lbs.



Gravelly 816S, 16 hp, 44-inch Snowblower: optional front and rear Wheel Weights, Tire Chains, Weight Rack Kit, plus Weights

WINTER WONDERS...GRAVELLY SNOWBLOWERS

Put your Gravelly tractor to work all year round with Gravelly Snowblowers. Two-stage operation makes fast work of even the big drifts as rotating reel cuts up snow and moves it to a whirling blower that discharges it up to 60 feet away. Discharge direction is controlled from driver's seat, change from left to right or anyplace in between with the turn of a crank. Distance of throw is variable from 1 to 60 feet and controlled by adjusting the locking discharge deflector.

There are no belts to slip, break, or require adjusting in your Gravelly Snowblower. Tough all gear and steel shaft drive delivers power from the engine right down to the blades. A slip clutch on the reel guards against jamming or damage while a replaceable wear strip on the leading edge prolongs unit life. With front drive PTO in place, attaching is as easy as 1, fasten one coupling . . . 2, close two latches . . . 3, drop in three pins.

CHOICE OF 44" OR 38" MODELS

The big 44" Gravelly Snowblower is recommended for use with the Gravelly 816 or 816S tractors with hydraulics. The 38" model will operate effectively on Models 816S, 810, and 812. On all tractors, the wide choice of positive power speeds and the constant speed PTO let you operate at peak efficiency, while the instant forward-neutral-reverse lever makes it easy to "nibble away" at packed snow and extra-high drifts. Gravelly's hydraulic attachment lift, standard on the Model 816 tractor and optional on

Models 816S and 812, is strongly recommended and makes raising and lowering easy as a touch of the lever. The Model 810 and other manual lift models require the addition of a Lift Assist Kit and Auxiliary Lift Kit to manage the snowblower.

OPTIONAL EQUIPMENT FOR SEVERE CONDITIONS

The rear mounted engine and the between-the-wheels transmission provide excellent weight distribution for snow removal. However, where snow is exceptionally deep, heavy, or icy, additional traction may improve performance. This can be provided with accessories like Gravelly's Front Wheel Weights, Rear Wheel Weights, Rear Weight Rack and Weights, and Tire Chains. For additional protection from the elements, many Gravelly dealers offer the "Cozy Cab" enclosure as Allied Equipment.

SPECIFICATIONS: 44-inch Snowblower, 38-inch Snowblower

NO BELTS. Two-stage Snowblower with direct drive by heavy duty universal drive shaft. Blower drive shaft enclosed in cast iron housing with ball bearings. Worm gear reel drive enclosed in cast iron housing with sealed ball and needle bearings protected by a reel slip clutch. Reel supported by self-aligning ball bearings. Replaceable wear strip. Adjustable skids. Directional chute assembly operated by control at operator's position. Swath: 44 and 38-inches. Net weight: 260 lbs. for the 44" and 250 lbs. for the 38". Required: Front Drive Kit. Recommended: Hydraulic Lift or Lift Assist Kit and Auxiliary Lift Assist Kit.



Gravely 812, 12 hp Riding Tractor with 48-inch SnowDozer, optional Tire Chains and Wheel Weights.



Gravely 812, 12 hp Riding Tractor with 48-inch Center-Mount Blade. Optional Front Weight Rack with Weights and optional Rear Wheel Weights.

SPECIFICATIONS: 48-Inch SnowDozer

Reinforced spring-trip blade with replaceable wear strip, featuring three position angle selection from operator's position. Weight: 130 lbs. Required: Axle Latch Kit for 810, 812, 816S

SPECIFICATIONS: 48-Inch Center-Mount Scraper Blade

Welded steel construction with replaceable steel wearing strip. Three position angling; adjustment from driver's position.

ROLL SNOW AWAY WITH GRAVELY'S 48" SNOWDOZER

Big, four-foot wide blade is scientifically curved to keep snow rolling to the side as you roar along at the fastest working speed possible. The faster you go, the better it works. Adjustable left, right, or straight ahead from the operator's position. Spring tripping action allows blade to ride over solid obstructions to protect the SnowDozer, tractor and operator. Also, useful for light landscaping, spreading stone, etc.

CENTER-MOUNT SCRAPER BLADE

Positioned between wheels to take full advantage of traction and push power developed by the rear mounted engine. Angles to left, right, or straight ahead from the operator's position. Replaceable wear strip. Excellent for moving or grading loose dirt, sand, gravel, and moving snow up to 4 inches deep.



Gravely 816, 16.5 hp Riding Tractor with 44-inch Power Brush

MAKE A CLEAN SWEEP WITH THE GRAVELLY POWER BRUSH

The easy, efficient way to keep walks, drives, parking lots, and other paved areas free of dirt, debris, and leaves. Big, wide 44-inch brush with tough, long-wear bristles sweeps clean and clear in a single pass, powered by the positive, non-slip action of steel gear and chain drive.

No jockeying around, brush is adjustable to left, right, or straight ahead positions using a handy control lever at the operator's position. Contact pressure and brush level adjusted by simple controls on the housing.

In addition to dirt, the Gravely Power Brush will also sweep away up to four inches of snow . . . even wet and soggy snow . . . and remove it clear down to the paving. And it does an excellent job of lawn thatching.



Gravely 816S, 16 hp Riding Tractor with Power Brush, optional Tire Chains and Wheel Weights

SPECIFICATIONS: 44-Inch Power Brush

NO BELTS. Right angle bevel gear drive with tapered roller bearings in an aluminum die cast drive housing. Brush driven with $\frac{5}{8}$ inch roller chain, and supported with self-aligning ball bearings. Brush dimensions: 18 inch diameter. Caster Wheels standard. Weight: 240 lbs. Required: Front Drive Kit, Completing Kit.



Gravely 8 hp, 408 Lawn Tractor with 34-inch Rotary Mower

WHY SETTLE FOR LESS? GET GRAVELY QUALITY ON A BUDGET WITH THE 408 LAWN TRACTOR

If your grounds call for less than the total versatility and features of the big Gravely 800-series lawn and garden tractors, there's no need to settle for less than a Gravely. Take a look at the construction, the power, the features, and the price of the Gravely 408 Lawn Tractor and see what value is all about.

The Gravely 408 is a *lawn* tractor, whereas our 800-series units are *lawn and garden* tractors. The key to the difference lies in the word "garden". The 408 is designed primarily for lawn and grounds maintenance. It does not have the total versatility and cannot perform gardening functions nor will it accept as many different attachments as the bigger units. And, of course, the smaller horsepower limits the size of the attachments the 408 can handle. But compared to a *riding mower*, which has a permanently mounted mower and can accept few, if any other attachments, the 408 gives you a big bonus of versatility and power.

The Gravely 408's tough 8 HP Engine drives a big 34-inch rotary mower attachment that gets the job done quickly and smoothly. It's plenty big enough for comfortable riding, yet nimble enough to work around trees, buildings, and plantings. The fast-action forward-reverse lever increases handling ease, while the Gravely designed and

built four-on-the-floor transmission lets you match ground speed to the terrain and grass condition. Constant speed attachment drive keeps mower blades spinning at optimum speed regardless of what gear you're traveling in.

TRADITIONAL GRAVELY CONSTRUCTION

There's no skimping on the quality when you invest in a Gravely 408. Its deep, strong frame can take the wear and tear of the years, the cast iron pivoted front axle shrugs off the bumps and thumps. Even the sheet metal is heavy gauge for extra durability.

Comfort features include a contoured, fully padded spring mounted seat . . . wide foot rests with non-slip finish . . . electric key start with safety interlock . . . easy-to-reach controls . . . and a full-size steering wheel for easier control.

SPECIFICATIONS: 34-inch Rotary Mower

Heavy duty steel deck. Belt and gear drive. Sealed ball bearings. Hi-lift blades. Cutting height: 1½ to 4-inches. Cutting width: 34-inches. Length: 27.5 inches. Width: 44-inches. Height: 14-inches. Weight: 105 lbs.



Gravely 8 hp, 408 Lawn Tractor with 34-inch Rotary Mower and All-Steel Hauling Cart



Gravely 408 Lawn Tractor with 42-inch SnowDozer

**BUILT BETTER, BUILT STRONGER,
TO LAST LONGER**

SPECIFICATIONS: Hauling Cart

ALL STEEL. Self-dumping by actuating lever from driver's position. Heavy duty steel axle. Sleeve bearings. Length: 48-inches. Width: 36.5-inches. Height: (overall) 20 inches. Weight: 75 lbs.

SPECIFICATIONS: SnowDozer

ALL STEEL. Three angle adjustment from operator's position. Length: (overall) 28-inches. Width: 42-inches. Height: (overall) 14-inches. Weight: 65 lbs.

**SAVE MORE WORK WITH
THESE ATTACHMENTS**

Your Gravely 408 doesn't stop with mowing your lawn. Its rugged build and husky engine give it the power to handle a wide selection of work-saving attachments. Just drop in a pin and you're ready to haul a man-sized load with the commodious Gravely cart.

A roomy 36.5" wide and 48" long, it'll carry heaping piles of clippings, branches, and brush. Bales of peat moss and straw . . . and hundreds of pounds of dirt, compost, stone, or firewood. Self-dumping action simplifies unloading, spring loaded latch easily reached from the driver's seat.

If you have light grading jobs, sand or gravel to spread, you'll want the 42-inch Snowdozer blade. Like its name implies, it also does a great job of clearing snow off walks and drives. Spring trip action lets it ride over fixed obstacles to protect blade, tractor, and operator. Adjusts to left, right, or center.

There's a useful selection of allied equipment, too . . . attachments made by other manufacturers that work well with the Gravely 408. Many Gravely dealers will have them available . . . the E-Z Rake Lawn Vacuum, Model 30 or 31 . . . Kensico Lawn Aerator . . . Garber 5 ft. Seeder Spreader . . . and Minnesota Lawn Products Grass Catcher.



Gravelly 8 hp, 408 Lawn Tractor with 36-inch SnowThrower, optional Tire Chains, and optional Rear Weight Box

THE GRAVELLY 408 WORKS YEAR ROUND

When winter comes, put your Gravelly 408 to work keeping driveways, sidewalks, and parking areas free and clear of snow. A power-matched 36" SnowThrower picks up snow and throws it yards away. Adjustable deflector controls distance of throw, while the discharge chute can be set anywhere along a full 180° arc from left to right. A handy crank lets you do it right from the driver's seat, even while in action. Three-foot wide swath makes even the big jobs go fast.

ROLL SNOW AWAY WITH THE 42" SNOWDOZER

Roll away snow to the side with the 408 SnowDozer blade. Clears a swath up to 3½ feet wide right down to the paving. It's fully adjustable to either side or straight ahead positions, so you don't have to do a lot of jockeying around. Spring-trip feature lets blade deflect over fixed obstacles in order to protect unit and tractor. Snowdozer mounts to tractor frame for rigidity and to take advantage of full thrust of the transmission.



42-inch SnowDozer shown moving snow.


SPECIFICATIONS: 36-inch SnowThrower

Heavy duty steel construction. Adjustable chute, and chute deflector. Belt and chain drive. Sleeve and sealed ball bearings. Length: 22-inches. Width: 36-inches. Height: 41-inches. Weight: 150 lbs.


SPECIFICATIONS: 408 LAWN TRACTOR

| | | |
|-------------------|--------------------------------|---------|
| Engine | Kohler K 181 | |
| Horsepower | 8 @ 3600 rpm | |
| Transmission | sliding gear with differential | |
| Speed Range (mph) | Forward | Reverse |
| 1 | 1.6 | .7 |
| 2 | 2.7 | 1.1 |
| 3 | 3.6 | 1.6 |
| 4 | 5.4 | 2.4 |
| Electrical System | 12 volt with Bendix starter | |
| Tire size-front | 13x5.00-6 | |
| Tire size-rear | 18x8.50-8 | |
| Length | 56 inches | |
| Width | 33 inches | |
| Height | 32¼ inches | |
| Net Weight | 465 lbs. | |


ADD VERSATILITY WITH ALLIED ATTACHMENTS FOR THE 408




E-Z Rake Vac Sweepers



Kensico Lawn Aerator



Garber Seeder Spreader




Minnesota Lawn Products
Grass Catcher

All Allied Equipment is warranted by individual manufacturers and not by Gravely. Gravely only asserts it will not void the warranty on Gravely tractors if used properly.

SPECIFICATIONS: GRAVELY CONVERTIBLE TRACTORS

| | 566 | 564 | 546 | 526 | 524 | 522 | 520 |
|--|-----|-----|-----|-----|-----|-----|-----|
| ENGINES (cast iron) 12 HP, Kohler K301, Single cylinder, four cycle, air cooled, automatic compression release. | • | • | | | | | |
| 10 HP, Kohler K241, Single cylinder, four cycle, air cooled, automatic compression release. | | | • | | | | |
| 8 HP, Kohler K181T, Single cylinder, four cycle, air cooled, automatic compression release. | | | | • | • | • | • |
| HORSEPOWER Rated at 3600 RPM | • | • | • | • | • | • | • |
| AIR CLEANER (carburetor mounted) Dry type, replaceable element | • | | • | • | • | • | • |
| (console mounted, heavy duty) Dry type, washable, replacement element | | • | | | | | |
| FUEL SYSTEM Automotive type, diaphragm fuel pump. | • | • | • | • | • | • | • |
| FUEL CAPACITY 2 U.S. Gallons | • | • | • | • | | • | |
| $\frac{9}{10}$ U.S. Gallons | | | | | • | | • |
| STARTING SYSTEM 12 Volt electrical system, Automotive Bendix starter and alternator. | • | | • | • | | • | |
| Manual starter system. | | • | | | • | | • |
| LUBRICATION (type) Splash | • | • | • | • | • | • | • |
| OIL CAPACITY (engine) 4 U.S. Pints | • | • | • | | | | |
| 2½ U.S. Pints | | | | • | • | • | • |
| (transmission) 5 U.S. Quarts | • | • | • | • | • | • | • |
| TRANSMISSION All gear planetary transaxle with fully enclosed P.T.O. | • | • | • | • | • | • | • |
| ATTACHMENT P.T.O. All-Gear positive drive. | • | • | • | • | • | • | • |
| SPEEDS 4 forward, 4 reverse. | • | • | • | • | • | | |
| 2 forward, 2 reverse. | | | | | | • | • |
| SPEED RANGE 0-4 MPH | • | • | • | • | • | | |
| 0-2.8 MPH | | | | | | • | • |
| TIRES (standard size) 18x6:50x8 Lawn & Garden Tread | • | • | • | | | | |
| (optional sizes) 4-00x8 Diamond Tread or, 4-00x8 Sure Grip or, 18x6:50x8 Lawn & Garden Tread or, 16x5wx3 Semi-Pneumatic/Ground Grip | | | | • | • | • | • |
| WEIGHT (approximate) 500 pounds | • | | • | | | | |
| 465 pounds | | • | | | | | |
| 435 pounds | | | | • | | | |
| 420 pounds | | | | | | • | |
| 370 pounds | | | | | • | | |
| 355 pounds | | | | | | | • |
| DIMENSIONS L 56" x W 26" x H 37" | • | • | • | | | | |
| L 58" x W 25" x H 36.5" | | | | • | • | • | • |


ALLIED ATTACHMENTS



Kensico Lawn
Aerator



Amerind-MacKissic
22-gallon Sprayer




Garber Seeder
Spreader



W-W Grinder Corp.
Grinder/Shredder

All Allied Equipment is warranted by individual manufacturers and not by Gravelly. Gravelly only asserts it will not void the warranty on Gravelly tractors if used properly.




Amerind-MacKissic
Compost Shredder



Nortech Log splitter

GRAVELY CONVERTIBLE TRACTORS



GET ULTIMATE VERSATILITY WITH A GRAVELLY CONVERTIBLE

**"NOBODY ELSE MAKES
ANYTHING ELSE
THAT DOES SO MANY JOBS
SO WELL"**

For utter and complete versatility, nothing matches the Gravelly Convertible Tractor. These nimble two-wheeled tractors power a whole host of attachments for mowing, grounds care, gardening, snow removal, and hauling. Two-foot turning radius, full-leverage handles, and convenient controls make handling sure and easy. Gravelly's all-gear transmission delivers positive power to wheels and attachments with the added convenience of instant forward-neutral-reverse action. A choice of models with 8, 10, and 12 HP engines let you match job requirements precisely.

And for ultimate convenience, they convert from walk-behind to riding. Our optional steering sulky and dual wheels let you go along for the ride when you want to make easy work of those big, wide open areas.



Gravelly 524, 8 hp, Convertible Tractor with 40-inch Commercial Rotary Mower, optional Chrome Wheel Covers, opt. Dual Wheels

WALK OR RIDE WITH A GRAVELLY CONVERTIBLE

If you have a wide variety of jobs to do, a Gravelly Convertible may well be your best answer. If there are a lot of trees to mow around, shrubbery to work in and out of, building and plantings, you'll appreciate the precision control you get using your Convertible as a walking tractor. For irregular terrain and rough pasture areas or overgrowth, heavy jobs like dozing or snow removal, and most gardening jobs, the walking model is also the choice.

But the best part is that you can handle the big, wide open lawns in speed and comfort, too. Just attach the optional Gravelly Steering Sulky and Dual Wheels and you're off and riding. Tractor controls are right in front of you and the big steering wheel on the sulky gives excellent control. For close-up work and rough grounds, detach the sulky and get the job done easily.



Gravelly 524 Convertible Tractor with optional Steering Sulky. Sulky must be used with optional Dual Wheels.

DO ROUGH MOWING WITH EASE

The 40-inch Commercial Rotary Mower was designed and built for the rough jobs. Tested and proved by years of commercial and homeowner use with Gravelly Convertibles, it is the mower you use when the going is tough.

Built to last, with a steel, reinforced deck, all-gear drive down to two spring-tensioned, horizontal belts that drive two hi-lift blades. Front casters for easy maneuverability, swivel action, follows ground contour.

SEE PAGE 24 FOR COMPLETE SPECIFICATIONS.



Gravelly 566, 12 hp Convertible Tractor with 50-inch Rotary Mower

CUT A WIDE SWATH WITH THE 50-INCH ROTARY MOWER

Big lawn? Then use our biggest mower . . . trim over four feet at a pass with the Gravelly 50" Rotary Mower. Essentially the same mower used on our riding tractors, it's built to last . . . and perform . . . for years. Swivel action follows ground contours regardless of tractor position, quick height adjustment changes cut between 1½" and 4", triple hi-lift blades give smooth, even cut. Big casters give level support and make steering easy.

THE BIG 12 HP MODEL 566 GRAVELLY CONVERTIBLE

Our finest, most powerful convertible tractor. Features Gravelly's all-gear transmission with four speeds forward,

four speeds in reverse, instant forward-neutral-reverse action. Big 12 HP Kohler engine gives reserve power for the toughest jobs, lets the engine "loaf along" to prolong life in ordinary use. Startup's easy too, with key electric starter. Safety interlock. Reliable alternator system charges battery surely and swiftly.

SPECIFICATIONS: 50-inch Rotary Mower

Universal driveshaft and right angle bevel gear drive through aluminum die cast gear housing with tapered roller bearings. Single, horizontal, spring tensioned "V" belt driving three spindles with tapered roller bearings. Hi-lift blades. Heavy-duty reinforced deck. Cutting height: 1½ to 4 inches. Cutting width: 50 inches. Net weight: 252 lbs. Required: Front Mount Kit, Quick Hitch Kit



Gravely 564, 12 hp Commercial Convertible Tractor, manual start with 40-inch Commercial Rotary Mower

CHOICE OF 2 40-INCH ROTARY MOWERS

The standard Gravely 40" Rotary Mower will give years of smooth lawns for most applications. Three rotary blades slice a wide, even swath, big casters give full support and easy maneuverability. (Optional Quick-Hitch kit lets you drive right "into" the mower and many other attachments, connect with a single pin.) For the really tough jobs, consider the twin-blade 40" Commercial Rotary Mower with reinforced deck and extra-heavy construction.

MODEL 564, 12 HP COMMERCIAL CONVERTIBLE

Big power, tough construction, special features for heavy commercial use. Worry-free manual starter, four speeds up to 4 mph, remote heavy-duty air cleaner to cope with dusty, dirty conditions.



Gravely 566, 12 hp Convertible Tractor with 40-inch Rotary Mower and optional Chrome Wheel Covers

SPECIFICATIONS: 40-inch Commercial Rotary Mower

Right angle bevel gear drive through cast iron housing with tapered roller bearings to horizontal spring tensioned "V" belts that drive two spindles (with tapered roller bearings) mounted on welded reinforced deck. Hi-lift blades. Cutting height: adjustable 1½ to 4 inches. Swath: 40 inches. Net weight: 182 lbs.

SPECIFICATIONS: 40-inch Rotary Mower

Universal driveshaft and right angle bevel gear drive through aluminum die cast gear housing with tapered roller bearings. Single, horizontal, spring tensioned "V" belt driving three spindles with tapered roller bearings. Hi-lift blades. Cutting height: 1½ to 4 inches. Cutting width: 40 inches. Net weight 192 lbs. Required: Front Mount Kit, Quick Hitch Kit



Gravely 524, 8 hp Convertible Tractor with all-gear drive 30-inch Rotary Mower

THE FAMOUS GRAVELLY 30-INCH ROTARY MOWER PROBABLY THE TOUGHEST MOWER YOU CAN BUY.

This is the mower that handles the rough jobs like nothing else. It's 100% gear driven . . . no belts or chains . . . right from the engine to the blade so it can take on high grass and weeds, meadow grass, undergrowth and brush with ease. The precision slicing action of its $\frac{3}{8}$ " thick hi-lift blade and swivel action to follow ground contours means it does a good job on lawns, too. For all-around performance, you can't make a better choice.

The Gravely 30" Rotary Mower is built to take it, year in and year out. Its extra-heavy steel deck stands up to the knocks and bumps of all kinds of use, rugged skids help level the attachment and maintain depth of cut. It is probably the toughest, most durable mower you can buy.

THE GRAVELLY 524 "GREAT 8" CONVERTIBLE

A hefty eight horsepower gives it the get-up and go to

handle almost any job or attachment. Its tough Kohler engine with easy-action manual start is built for durability and performance, making it an ideal workmate to the all-steel, all-gear Gravely four speed transmission with instant forward-neutral-reverse. It's the same transmission that has given satisfaction and service to thousands of Gravely owners over the years, proved in use around homes, farms, estates, and commercial applications. For the economy minded, here's Gravely quality and workmanship at a budget price.

SPECIFICATIONS: 30-inch Rotary Mower

NO BELTS. Right angle bevel gear drive in cast iron housing with tapered roller bearings. Heavy duty $\frac{3}{8}$ inch thick hi-lift blade. Cutting width: 30 inches. Mower deck: $\frac{3}{16}$ inch steel. Net weight: 109 lbs.



Gravelly 566, 12 hp Convertible Tractor with all-steel Hauling Cart and optional Chrome Wheel Covers

RIDE AS YOU HAUL WITH THE GRAVELLY ALL-STEEL HAULING CART

Hitch up the gravelly cart to your convertible and haul a big load. Cart litter, trash cans, trimmings, bales of peat moss or straw. Load up with firewood, sand or stone, compost and mulch . . . up to a full half ton. Whatever you want

to move, your Gravelly cart makes it easy and fast.

Cart is 30" wide, 46½" long, with 11½" sides. Removable seat, welded footrest. Removable tailgate and easy-dumping action with spring-loaded latch.

SICKLE MOWER FOR THE ROUGHS AND PASTURES



SPECIFICATIONS: Sickle Mower

NO BELTS. Universal drive with tapered roller and ball bearings fully enclosed in cast iron housing. 42-inch bar. Weight: 100 lbs. Knife sections: 3 inch.

All-gear drive for positive cutting action. Swivel action follows ground contour. Reinforced construction with four skids to keep bar rigid. For use on Models 520, 522, 524 and 526 only.

FLAIL MOWER FOR SAFETY AND EFFICIENCY

SPECIFICATIONS: Flail Mower

Dimensions: 37½ x 25½ x 17 inches. 32 inch mowing swath. Anti-scalping bar. Drive: right angle gear box to vertical belt. Adjustable cutting height.



Handles tall grass and weeds with ease. Free swinging blades. All-gear drive for positive, efficient action. Blades reversible for extra wear. Adjustable height caster wheels.



Gravely 526, 8 hp Convertible Tractor with famous all-gear-drive Rotary Plow.


THE GREAT GARDENING TOOL... THE EXCLUSIVE GRAVELY ROTARY PLOW

Only Gravely has the Rotary Plow, and only the Rotary Plow can do such a great job on your garden! Four spinning, whirling blades cut up, blend and turn the soil to give you a perfect seedbed in one easy operation. Just drive your tractor down the furrow and look on a garden bed that's ready for seeds or settings.

The adjustable blade can be set for depths up to 7" with furrow adjustable up to 10" wide. The gear-driven blades move aside rocks and obstacles bigger than your fist. A safety clutch helps prevent damage from larger obstacles. Tilt, depth and cut adjustments add to versatility so you can use the Gravely Rotary Plow as a terracing tool, hiller or ditcher. Traditional Gravely construction means years of useful service.

MODEL 526 GREAT 8 CONVERTIBLE... 4 SPEEDS, ELECTRIC START, 8 HP

Here's the most in versatility and usefulness in a rugged 8 hp convertible tractor. The Model 526 gives you key electric starting with safety interlock, an efficient alternator system to charge battery. And the Gravely designed and built all-gear transmission with four positive-power speeds forward, four in reverse, instant forward-neutral-reverse. It's the kind of power and construction that makes Gravely attachments perform at their best.



SPECIFICATIONS: Rotary Plow
NO BELTS. Right angle bevel gear drive with tapered roller bearings fully enclosed in cast iron housing. Protected by a slip clutch. Four heavy duty forged steel blades. Net weight: 118 lbs.



STEELS



STEELS & CENTER SWEEP



FURROWER



SHOVELS



ROTARY CULTIVATOR

POWER CULTIVATE WITH THE GRAVELLY ROTARY CULTIVATOR

Keep your garden healthy and thriving, keep down weeds, keep soil aerated and open to life-giving rain the easy way, with the Gravelly Rotary Cultivator. All-gear drive turns tines to a three-inch depth, cultivating smoothly and evenly in any soil. And removable side panels increase versatility. On, they protect bushy row crops, Off, they let the cultivator move a ridge of soil onto plant row to save tedious hand hilling. For season-long power gardening, the Gravelly Rotary Cultivator is the perfect mate for the Gravelly Rotary Plow and the Gravelly Convertible Tractor.

TOOL CULTIVATION WITH GRAVELLY POWER

Put your Gravelly Convertible Tractor to work doing a

whole range of cultivating jobs using the Gravelly Toolholder and implements. Toolholder adjusts from 8 to 30 inches wide, implements individually adjustable for depth and position. Choose from hillers, furrowers, sweeps, hoes, steels and even a mini-scraper blade.

SPECIFICATIONS: Rotary Cultivator

NO BELTS. Right angle bevel gear drive with sealed ball bearings fully enclosed in cast iron housing. 12 steel forged tines. Cutting depth: 3 inches. Swath: 26 inches. Requires Rotary Plow Drive Assembly.



Gravelly 546, 10 hp Convertible Tractor with 34-inch Snowblower and optional Tire Chains.

TAKE THE WORK OUT OF WINTER WITH GRAVELLY SNOWBLOWERS

When the lawn work's done and the garden has been plowed under, your Gravelly Convertible's ready to take care of your winter chores, too. Just attach one of the powerful Gravelly Snowblowers and keep driveways, parking areas, walks and lanes free and clear. Rugged two-stage design uses revolving reel to break up and gather snow, high-speed fan blows it up to 60 feet away.

Discharge chute adjusts from operator's position to throw snow left, right, ahead or any place inbetween. Deflector locks in place to control close throw. Rugged reinforced construction.

Gravelly two-stage snowblowers are available in two sizes. For 8 hp tractors, the 28" model is recommended. Our 10 and 12 hp Tractors will power this as well as the extra-capacity 34" snowblower.

GET MORE POWER WITH THE 10 HP MODEL 546

If you have extra-large grounds or garden, heavy snow removal to handle, or commercial work, you'll appreciate the extra power of the Model 546 Convertible. It gives you 25% more output than our 8 hp models to take on the tough jobs easily and surely. Gravelly's 4-speed, all-gear transmission lets you match speed to the work while electric starting ends the inconvenience of manual starting. Bring extra power to the job with the Model 546.

SPECIFICATIONS: 28-inch Snowblower, 34-inch Snowblower

NO BELTS. Two-stage Snowblower with direct drive. Blower drive shaft enclosed in cast iron gear housing with ball bearings. Worm gear reel drive enclosed in cast iron housing with sealed ball and needle bearings protected by a reel slip clutch. Reel supported by self-aligning sealed ball bearings. Replaceable wear strip. Directional chute assembly operated by control at operator's position. Adjustable skids. Swath: 28 and 34 inches. Net weight: for 28" 215 and for 34" 230 lbs. Requires: Quick Hitch Kit.



Gravelly 566, 12 hp Convertible Tractor with 48-inch SnowDozer

ROLL BACK WINTER SNOWS WITH THE GRAVELLY SNOWDOZER

Keep driveways and walks clear of snow with the Gravelly SnowDozer attachment. Installs on the front of any Gravelly convertible tractor in minutes, gets things clean in a minimum of time. Adjusts left, right or center to eliminate jockeying and useless back and forth movement. Full 4-foot blade with special curve actually rolls snow to the side. The faster you go, the better it works. Useful year round, too. Use the blade to move light or loose soil . . . spread cinders, gravel or stone . . . level out dirt or stone driveways and lanes.

GRAVELLY GREAT 8 MODELS 520 AND 522

Here's Gravelly quality and versatility combined with real economy. The Model 520 Gravelly Convertible gives you an 8 hp engine, easy-action manual starting, and Gravelly's all-gear two-speed transmission to handle most lawn, gardening and snow removal jobs. It's the basic Gravelly, the style chosen by thousands. Also available as Model 522 with the convenience of key electric starting.



Gravelly 520, 8 hp Convertible Tractor with 48-inch SnowDozer . . . year round versatility

SPECIFICATIONS: 48-inch SnowDozer

Heavy duty ¼ inch blade with replaceable wear strip, featuring three position angle adjustment. Weight: 115 lbs. Skids: Optional.



Gravelly 566, 12 hp Convertible Tractor with 44-inch Power Brush and optional Tire Chains



Gravelly 566, 12 hp Convertible Tractor with 44-inch Power Brush and optional Dual Wheels

SPECIFICATIONS: 44-inch Power Brush

NO BELTS. Right angle bevel gear drive with tapered roller bearings in an aluminum cast drive housing. Brush driven with $\frac{3}{8}$ inch shielded sprocket chain, and supported with self-aligning ball bearings. Angle selection to left, right or straight ahead. Caster wheels standard. Weight: 240 lbs. Requires: Quick Hitch Kit, Completing Kit.

GIVE THINGS THE BRUSH OFF WITH THE GRAVELLY POWER BRUSH

Make a clean sweep of snow with the Gravelly Power Brush attachment. Gear and chain driven. Bristles of tough, long-lasting plastic will sweep walks and roadways clear of snow right down to the paving. Handles snow up to four inches deep. Come Spring, it does a fine job of thatching lawns. In Fall, use it to sweep leaves off drives and pavements. And in any season, it keeps your grounds neat and tidy by sweeping up dirt and debris. Adjustable side to side from operator's position, simple contact and wear adjustment, easy brush replacement.

SPECIAL BRUSH FOR COMMERCIAL USE

Special steel bristle brush is also available for the Gravelly Power Brush for use in tough commercial applications such as cleaning roofing in preparation for repair or replacement, scrubbing garage and shop floors, etc.



DUAL WHEEL KIT

For extra traction and stability. Required with Steering Sulky, recommended for rough terrain.



TIRE CHAIN KIT

For more driving power on snow and ice, extra traction in wet or loose soil.

GRAVELY®

ONE GRAVELY LANE, CLEMMONS, NORTH CAROLINA, 27012, DIVISION OF CLARKE-GRAVELY CORPORATION



PROUDLY SOLD AND SERVICED BY:

GRAVELY HOCKESSIN, INC.

Lancaster Pike - Route 41
Hockessin, Delaware 19707
Telephone: (302) 239-4201

Manufacturer reserves the right to change appearance, function and components of any Gravely product without notice or liability. Allied equipment shown in this catalog is warranted by individual manufacturers and not by Gravely. Gravely only asserts it will not void the warranty on Gravely tractors if used properly.