

 **GRAVELY**®

job tailored tractors



**THE ONES TO BUY FIRST
BECAUSE THEY LAST**

VERSA



UTILITY




Gravely riding tractors are designed to mount and power a wide selection of year round attachments to help you with your maintenance chores. Quick mounting attachments that hook up to the front, center or rear; handle jobs such as mowing, hauling, landscaping and snow removing.

Gravely attachments feature built in performance to give you many years of service. If an attachment needs to be replaced there is no need to replace the power source as well

because most attachments designed for Gravely tractors today can be used on the Gravely tractors of tomorrow and yesterday. Gravely designs so that neither your tractor nor your attachments become obsolete from year to year. This feature alone rewards your investment decision with many years of high performance, durability and dependability.

Each Gravely attachment is designed and built to the same rigid manufacturing specifications as the tractors themselves.



40 and 50-INCH ROTARY MOWERS

The Gravely 40 and 50-inch center mount rotary mowers are big, rugged, dependable. Each mower has three offset blade assemblies designed to give you a smooth, even cut. So strong you drive right over the mower when attaching or detaching.



40-INCH COMMERCIAL ROTARY MOWER

For rough mowing and those hard to reach places where you need to get the mower to the job ahead of the tractor take a look at the front mounted 40-inch Commercial Mower. Two heavy-duty hi-lift blades; a reinforced steel deck; two horizontal, spring tensioned belts. Proved in many years of industrial use.



48-INCH SNOWDOZER

This big 48-inch wide blade has a replaceable wear strip and features a spring-trip blade control. An excellent tool for moving snow and for doing light landscaping jobs such as back filling. Adjusts to the left, right or straight ahead from the operator's position. Easy to attach and detach.



48-INCH CENTER MOUNT SCRAPER BLADE

Mounts between the front and rear wheels of the tractor allowing you to take full advantage of the traction and push power achieved by the tractor's rear engine design. The traction is behind the blade where it counts. Recommended for moving or grading loose dirt, sand and gravel. Moves snow up to four inches deep. Three angle adjustment with a replaceable wear strip.

YEAR ROUND ATTACHMENTS F



All attachments are thoroughly tested, before being released for production, in actual job situations doing the kind of work you would expect it to do. If an attachment doesn't meet specifications it's back to the drawing board until it's right.

Another very important element for your consideration is that the tractors and attachments are designed to be single, integrated working units. Each time you change an attachment you are actually changing the tractor to become another


single purpose work unit. The attachments are not designed and then fit onto the tractor but are designed to become a part of the tractor when attached. This assures you of the most effective power transfer from tractor to attachment, and enables you to handle many specialized tasks with the same tractor.

Versatility . . . well that's just a built in part of every Gravely tractor.




ALL-STEEL HAULING CART

Gravely's all-steel Hauling Cart helps speed material moving and saves back-breaking work. Hauls up to half-ton loads. Dumps by actuating a control lever located in reach of the operator's position. Removable tailgate. Attaches and detaches quickly.




30-INCH ROTARY TILLER

The rear Tiller is a fine tool for breaking up soil in preparation for landscaping jobs. Digs in, pulverizes, and aerates the soil up to six inches deep, depending on soil conditions. Tilling width is 30 inches. Features heavy-duty universal drive shaft to worm gear drive with no belts to slip or break under severe conditions.



44-INCH POWER BRUSH

The Power Brush is an indispensable tool for the commercial owner. Is designed to give a clean sweeping action; sweeps snow, loose dirt and debris away with just one pass. The Brush is completely chain and gear driven with no belts. Has three angle adjustment from operator's position and has pressure adjustments on each side of the brush housing.



44 and 38-INCH SNOWBLOWERS

Eliminate a lot of your winter worries with one of the all-gear driven Gravely snowblowers. Available in either 44 or 38-inch widths, they'll have you out and gone in no time at all. Has two-stage blowing action; big reels feed the snow into the blower blades. You can blow snow from 6 inches to sixty feet away by adjusting the rotating chute and chute deflector assembly. Easy to attach, even with gloves on.

OR GRAVELY RIDING TRACTORS

Sturdy. Powerful. Tough

STURDY. That's what Gravelly lawn and garden tractors are. Why? Because they feature the famous Gravelly engineering and construction that has built a respected world wide reputation over the last 58 years. Construction features such as a welded reinforced steel frame; a sturdy, pivoted front axle that follows ground contour with ease; a wide wheel base with Pneumatic, lawn and garden type tires; (rear wheels on some models can be reversed to give you an even wider wheel stance for hills and slopes), cast iron engines bolted directly to Gravelly's own eight speed all-gear transmission that enables the tractor to maintain ground speeds from 1/2 to 8 1/2 MPH, while the attachment speed remains at optimum RPM.

Not only are the tractors built to be sturdy, so are the rugged year round power attachments. Each one features the same high standard engineering and construction as the tractors. The power at-

tachments become part of the tractor when attached so you have a single, integrated, working unit.

TOUGH. Gravelly tractors are manufactured with a built-in toughness that is unmatched by any other lawn and garden tractor. Built with a heart of steel that can handle your day-in and day-out chores.

To prove their toughness Gravelly took a team of their tractors, including a riding tractor, on a torture-mowing trip from Washington, D.C. to New York City. It took them only 12 days to travel that 306 mile stretch and the Gravelly 800 series Riding Tractor made the entire trip without one major mechanical problem.

It's often said that one good idea leads to another so later on Gravelly set out to find the World's Worst Lawn to once again test the durability of their machines. They found what could be termed one of the world's worst lawns in Atlanta, Georgia at an old abandoned

look at these q

Rear deck pivots forward exposing engine and transmission for service

Comfortable padded seat, spring supported

Convenient console-type instrument panel . . . 12 volt electrical system



Instant forward-neutral-reverse control

Constant speed rear P.T.O. drive (optional)

Optional individual rear wheel brakes

Low-silhouette engine . . . your choice of horsepower from 12, 16 or 16.5

External friction clutches for sure power transfer

Pneumatic tires, size 20x8, 50-12, lawn and garden tread

Optional rear wheel weights can be stacked for special job applications

Wide, sturdy transmission brake pedal

All-gear Gravelly transmission, 8 speeds from 1/2 to 8 1/2 MPH



Wide, comfortable, no-slip footrests

Year round attachments available for front, center and rear

Constant (standard)

h. A secure investment.

mansion. Knee-high grass, weeds and brush that hadn't been cared for in years.

Gravely went to work with a team of tractors and in only a few hours of actual work time had the grounds back in tip-top shape. Even plowed the old garden to demonstrate the versatility of their equipment.

If Gravely tractors can accomplish feats like these just think how their built-in toughness could pay off for you in many hours of work time saved. Less down time for equipment repairs. Less man hours per job. Fewer pieces of single purpose equipment because of Gravely's versatility. Fewer headaches for you!

A SECURE INVESTMENT. The purchase of any Gravely tractor is a secure investment for the present time and for the future as well. Have you been around and tried to find a used Gravely? Try it. You'll

be surprised at how many used Gravelys are not around on dealer inventories. That's because a Gravely is built to last and is built with non-obsolence in mind. Most attachments for old Gravely tractors will fit on the new Gravely tractors of today and tomorrow and vice versa. Your present investment will pay off with years and years of good reliable service and will hold a good trade-in value when you decide to retire one Gravely for another.

Come in and talk to us and you'll see what we mean when we say "Gravely . . . the one to buy first because it lasts!"


Ask for a free demonstration of the Gravely Riding Tractor of your choice and see for yourself how they stack up against your toughest jobs. We'll be more than happy to counsel and advise you on the best tractor and attachments to handle the work you have to do.

Quality features


3.6 ft. inside turning radius

5.3 gallon fuel tank

Headlights



Hydraulic lift.
Standard equipment on the 816,
optional on other riding tractors.



Optional front and rear weight rack kit.
Holds up to 200 pounds extra weight.
(weights not included)

Constant speed front P.T.O. drive
(optional)

Pneumatic tires,
size 16x6.50-8,
lawn and garden tread

Sturdy, pivoted front axle

Reinforced steel frame
for long lasting dependability.

Optional front wheel weights

Constant speed center P.T.O. drive


allied equipment to fit your Gravely Riding Tractor




Amerind-MacKissic Compost Shredder



Amerind-MacKissic 22-gallon Sprayer



Arps Mini-Blade




Arps Mini-Rake



Brinly-Hardy Rear Blade with Scarifier




Brinly-Hardy Compactor-Rake



Brinly-Hardy Disc Harrow




Brinly-Hardy Power Caster




Brinly-Hardy Roller Aerator




Cozy Cab Metal Winter Cab




E-Z Rake Vac Sweeper




Garber Seeder/Spreaders




Haban Sickle Mower




Kensico Lawn Aerator



Kwik-Way Front End Loader



Roxy-Bonner Gang Reel Mower



W-W Grinder Corp. Grinder/Shredder

SPECIFICATIONS: GRAVELLY 800 SERIES RIDING TRACTORS

ENGINES Cast Iron	Gravely 810 Kohler single cylinder, four cycle, air cooled, automatic compression release	Gravely 812 Kohler single cylinder, four cycle, air cooled, automatic compression release	Gravely 816S Briggs & Stratton, single cylinder, four cycle, cast iron, synchro-balanced, air-cooled, automatic compression release	Gravely 816 Onan opposed 2-cylinder, four cycle, air cooled
HORSEPOWER	10 HP at 3600 rpm	12 HP at 3600 rpm	16 HP at 3600 rpm	16.5 HP at 3600 rpm
AIR CLEANER	Dry type, replaceable element	Dry type, replaceable element	Dry type, replaceable, with "oil-foam" pre-cleaner	Dry type, replaceable element
FUEL SYSTEM	Automotive type, diaphragm fuel pump	Automotive type, diaphragm fuel pump	Pulse-type fuel pump	Automotive type, diaphragm fuel pump
STARTING SYSTEM with Safety Interlock	Automotive Bendix gear starter for positive start, 12V system	Automotive Bendix gear starter for positive start, 12V system	Automotive Bendix gear starter for positive start, 12V system	Automotive Bendix gear starter for positive start, 12V system
OIL CAPACITY (Engine)	4 Pints	4 Pints	4 Pints	4 Pints
FUEL CAPACITY	5.3 U.S. Gallons	5.3 U.S. Gallons	5.3 U.S. Gallons	5.3 U.S. Gallons
LUBRICATION	Splash	Splash	Splash	Force feed oil pump
SPEEDS	8 Speeds	8 Speeds	8 Speeds	8 Speeds
SPEED RANGE	0-8.54 MPH	0-8.54 MPH	0-8.54 MPH	0-8.54 MPH
ATTACHMENT P.T.O. w/safety interlock	Positive All-Gear & Friction Clutch Drive	Positive All-Gear & Friction Clutch Drive	Positive All-Gear & Friction Clutch Drive	Positive All-Gear & Friction Clutch Drive
TIRES Pneumatic	Front: 16x6.50-8 Lawn & Garden tread Rear: 23x8.50-12 Lawn & Garden tread	Front: 16x6.50-8 Lawn & Garden tread Rear: 23x8.50-12 Lawn & Garden tread	Front: 16x6.50-8 Lawn & Garden tread Rear: 23x8.50-12 Lawn & Garden tread	Front: 16x6.50-8 Lawn & Garden tread Rear: 23x8.50-12 Lawn & Garden tread
TURNING RADIUS Note: Equal Left & Right	8 feet	8 feet	8 feet	8 feet
INSIDE TURNING RADIUS	3.6 feet	3.6 feet	3.6 feet	3.6 feet
WEIGHT—Shipping	880 Lbs.	900 Lbs.	900 Lbs.	960 Lbs.
LENGTH	75.5 Inches	75.5 Inches	75.5 Inches	75.5 Inches
WIDTH	36.25 Inches	36.25 Inches	36.25 Inches	41.75 Inches
HEIGHT	43 Inches	43 Inches	43 Inches	43 Inches
HYDRAULIC LIFT	not available	Optional	Optional	Standard
HEAD LIGHTS	not available	Standard	Standard	Standard

GRAVELLY

**"THE ONE TO BUY FIRST
BECAUSE IT LASTS!"**

Manufacturer reserves the right to change appearance, function and components of any Gravely product without notice or liability.

All Allied Equipment is warranted by individual manufacturers and not by Gravely. Gravely only asserts it will not void warranty on Gravely tractors if used properly.

SOLD AND SERVICED BY:

BOWMAN'S SALES & SERVICE
Nine Partners Rd. off Parkway
CLINTON CORNERS, N. Y. 12514
Phone COlfax 6-5101

914-