

GRAVELLY

RIDING TRACTORS



Real Satisfaction...

ENJOY THE REAL SATISFACTION OF SUPERB PERFORMANCE



CHOOSE FROM THESE GRAVELY TRACTORS—TO MEET YOUR NEEDS

Purchasing equipment for lawn, garden and snow removal work today requires a major investment. You are wise to investigate carefully; to consider just what work you have to do, and to seek proper counseling to obtain the equipment that will fill your particular needs.

The superb performance Gravely tractors and attachments shown here and throughout this catalog have an unmatched reputation for quality, durability and performance. They have gained this reputation over decades of service by *earning* the trust and confidence of Gravely owners.

Gravely tractors are designed and built to continue a tradition of quality and performance that stretches back into the early 1920's. Our toughest competition is our own product, so we must continually improve and innovate; produce new equipment that will outperform and outlast the old. It is a challenge from which you benefit, because you are offered a product that is an investment in quality, that gives you more value for your dollar.

For your lasting satisfaction, the equipment you buy must be powerful enough to handle all your jobs . . . the tough ones as well as the easy ones. It must be dependable.

It must be versatile, to make the most of your investment, simple to operate, easy to use. And backed by a reliable service organization.

Gravely has become famous for meeting all of these qualifications.

You have a wide choice of tractors and attachments, ranging from the 7.6 HP Custom Convertible through the 16.5 HP 816 Riding Tractor.

You also have the unique knowledge and experience of your Gravely dealer to help you. Gravely dealers are primarily outdoor equipment specialists—with a tradition of personal customer service and counseling.


Their experience and knowledge give them the ability to advise you. Use their counseling service to assure yourself you are making the right investment for long lasting satisfaction; and gain the security of seeing for yourself that your Gravely dealer stocks parts, has mechanics trained to meet your service needs quickly and efficiently.

Real satisfaction will be yours when you own superb performance Gravely equipment . . . the satisfaction of owning the finest; the knowledge that you have made the best possible investment, because Gravely tractors are built to last. Your investment pays off longer because Gravely tractors last longer.

The original price you pay will soon be forgotten. But the satisfaction of using the best, of doing your work in the best possible way, will be yours for years.

Keep this in mind as you read this catalog. As you study it, you will see which Gravely tractor and attachments appear to suit your needs. Then take the next essential step—consult with your Gravely dealer, and use his expert experience to insure your selection as the best for you.

NEW 8-SPEED TRANSMISSION



ALL-GEAR-DRIVE POSITIVE POWER

Gravely's new 8-speed transmission has the positive power of steel gears and shafts from the engine to the wheels and to the attachments. No belts to slip or break, no fluid power losses. Better handling, better performance, simpler maintenance.

Precisely engineered for long life and durability. Gravely has a reputation to live up to—of producing high quality, long-lasting, performance-proved equipment. Gravely's new all-gear transmission will give you top performance for years and years and years.

Performance Proved with Job-Matched Power

There's every speed and all the power you need in the new Gravely 8-speed, all-gear transmission, now standard on all Gravely 800 Series Riding Tractors.

You choose from eight forward speeds exactly the ground speed to do that particular job right. Choose from a gut-power-crawl at a half mile an hour through 50 per cent increases in ground speed until you've reached the get-on-home eight and a half miles an hour transport speed.

Whichever speed you choose, the attachment is operating at a constant speed, geared directly to the engine.

Once you select the proper ground speed, all you do is guide the tractor and enjoy the ride.

Now you can get the toughest jobs done with ease and efficiency . . . and breeze through the easy jobs in a hurry.

Another advantage of Gravely's all-gear transmission is that the speed you select is the speed you get. There is no "transmission surge" at low speeds that causes ground speed to vary as in fluid drive transmissions. There are no belts to slip under heavy loads or adverse conditions, there is no constant jockeying of controls to get consistent performance.

With Gravely's all-gear transmission, once you select a gear to set your ground speed, you can return to that speed instantly. If you have to stop, or back up, or gear down for a particularly tough load for a moment, there is no hunting for the right speed again. Just flip the lever to the previously selected gear and you're back to maximum efficiency.

Speaking of backing up—Gravely's all-gear transmission gives you instant forward, neutral or reverse, by the movement of one lever in any of the eight speeds you have selected. Instant control, precise maneuverability.



Gravely 816 Riding Tractor with 50-inch Rotary Mower

GRAVELY RIDING TRACTORS—10, 12, 14, 16.5 HP

GREAT PERFORMANCE IS BUILT-IN, TO LAST

It is actually fun to do your tough jobs with any of these sure-footed riding tractors . . . the easy jobs almost effortlessly . . . and to your own satisfaction.

Enjoy solid comfort and confidence as you steer a sturdy Gravely through a four-season series of tasks. You will be amazed at the maneuverability, and pleased with the instant control.

Instant control because one lever, without foot clutching, gives you forward, neutral or reverse in one easy motion.

With the new all-gear 8-speed transmission you have a choice of ground speeds (beginning at a half mile per hour) that allows you to handle any job from tough mowing and snow removal to light lawn mowing *at the most efficient speed.*

When the job is finished, shift to high range, high gear, and hurry on home at eight and one-half miles per hour.

Gravely Riding Tractors are designed to give you tractionized power—engine and transmission weight is concentrated between the rear wheels for maximum traction, maximum effective use of engine power.

You enjoy a comfortable, stable ride because you have full length footrests, a padded, spring-supported seat, and a tractor designed with a low center of gravity.

QUICK COMMAND CONTROLS

Command your powerful Gravely quickly and easily from

the control console at your fingertips. No fumbling or fancy footwork required—every control you need is right at hand.

Steering and maneuvering are quick and easy. Gravely Riding Tractors boast an equal turning radius left and right.

Choose the power, the features you need from the 10, 12, 14, or 16.5 HP Riding Tractors. And choose from a variety of attachments for lasting performance and satisfaction.

To allow you easy control over any attachment, Gravely offers you a hydraulic lift system that takes all the work out of changing attachment positions. It allows you to lift, lower, lock into position, or “float” attachments by setting a single fingertip control located at the operator’s position.

The Hydraulic Lift comes as standard equipment on the 816 Riding Tractor. The 810, 812 and 814 Tractors are equipped with mechanical lifts, but the 812 and 814 may be ordered with a factory-installed Hydraulic Lift.

ALL-GEAR-DRIVE

Tackle the tough jobs with real confidence, because Gravely Riding Tractors have true all-gear-drive.

Engine power flows smoothly through gears and heavy duty universal drive shafts to the attachment.

Smooth, steady, dependable power.

RUGGED ATTACHMENTS CHANGED QUICKLY MOUNTED WHERE THEY DO THE JOB BEST

Gravely Riding Tractors are designed to mount and drive power attachments wherever required to obtain maximum efficiency; in front, underneath, or trailing.

Gravely tractors power a wide variety of attachments. Quick mounting attachments that mow lawns or in the rough; plow, till, cultivate, remove leaves and grass, haul heavy loads, landscape or do most any other lawn and garden task. And Gravely does them all with ease.

Gravely power attachments for riding tractors mount quickly; most of them require no tools.

Just a twist of the wrist connects heavy duty universal drives to the power takeoff and to the attachment. Mounting to the tractor is by simple latches and lockpins.

Trailing attachments go on and off quickly with a Pin.

You change from job to job quickly, and you don't have to be a master mechanic. Gravely keeps it easy—and fast.



Gravely 814, 14 HP Riding Tractor with 50-inch Front-Mount Rotary Mower, Front Drive Kit



Gravely 812, 12 HP Riding Tractor with 50-inch Center-Mount Rotary Mower



Gravely 810, 10 HP Riding Tractor with 50-inch Center-Mount Rotary Mower

ALL GRAVELY RIDING TRACTORS – SAME STURDY FRAME AND TRANSMISSION!

All four Gravely Riding Tractors are designed to handle the toughest jobs. Using the same frame and body structure enables Gravely to build all of their riding tractors to the same rigid specifications, with the main differences being in engine horsepower and optional equipment.

Attachments are designed to take full advantage of the horsepower of each tractor . . . to give you top performance at all times, in any working condition.

Features and specifications of each tractor are given in detail on the following pages, plus complete information on Gravely attachments.

GRAVELY DEALERS TELL IT BEST!

Study the following pages carefully and if you have any questions about which Gravely Riding Tractor and attachments would best fit your particular needs—or if you desire further information on any Gravely product, get in touch with your Gravely dealer. Let his experience and expert know-how work for you. He has the expert knowledge to counsel you on which equipment you need to do your jobs the best possible way.

After you have decided on the equipment you need, your dealer will be happy to arrange a free demonstration to assure you of the correctness of your choice.


Call him soon. He's the man who will tell it like it is!

GRAVELY 800 SERIES

816 16.5 HP
814 14 HP
812 12 HP
810 10 HP






Gravelly 816, 16.5 HP Riding Tractor with 50-inch Rotary Mower



Gravelly 814, 14 HP Riding Tractor with 50-inch Rotary Mower

- 1 5.3 gallon fuel tank.
- 2 Easy access door for battery service.
- 3 Hydraulic Lift standard. Raises, lowers, allows "float" of attachments (816)
- 4 Instant forward-neutral-reverse.
- 5 Safety designed brake. When brake is depressed, tractor is automatically declutched. Parking lock.
- 6 At any of the eight ground speeds, we offer constant built-in, gear driven power takeoff. (NO BELTS) Gear ground speed down for the tough tasks, attachment speed remains the same.
- 7 All-gear transmission. Eight forward speeds from .50 to 8.54 MPH. Fits every job requirement.
- 8 16.5 HP twin-cylinder engine (816 only)
- 9 12 Volt electric system, key ignition.
- 10 Manual attachment lift standard on 810, 812, 814.
- 11 Rugged pivoted front axle, plus short, equal turning radius.
- 12 Wide, comfortable footrests.
- 13 Hydraulic Lift, factory-installed option on 812, 814.
- 14 Convenient gear and P.T.O. controls; easily accessible.
- 15 Rear Deck pivots forward, exposing the engine and transmission for service.
- 16 Rear-mounted engine and transmission give unequalled traction and power, because the majority of the tractor's weight is over the traction wheels. Low center of gravity, for stability.



GRAVELY SUPERB PERFORMANCE TRACTORS

- ① Center-mount attachments mounted on sturdy steel mounting plates welded to the deep steel frame. Locked in place by hefty lock pins. Mounted quickly and easily, without tools.
- ② Attachments to front, rear or center powered by heavy duty universal drive shafts. No belts.
- ③ Rear deck pivots forward to expose engine and transmission. Quick, easy access for maintenance or service.
- ④ Engine rear-mounted, coupled directly to transmission for tractionized power. Weight is where it's needed for effective use of engine power.
- ⑤ External friction clutches for positive power transfer in either forward or reverse.
- ⑥ Choice of horsepower—10, 12, 14, 16.5—to fit your particular needs.
- ⑦ Dry-type, replaceable element air filter for clean engine air.
- ⑧ Lawn and garden tread tires for maximum traction.
- ⑨ Sturdy, pivoted front axle.
- ⑩ Front-mount attachments driven from splined steel shaft, mounted in sealed ball bearings, connected directly to the transmission and the attachment by heavy duty universal drive shafts.
- ⑪ Reinforced steel frame for long-lasting dependability.

SPECIFICATIONS: GRAVELY RIDING TRACTORS

	Gravely 810	Gravely 812	Gravely 814	Gravely 816
ENGINES Cast Iron	Kohler single cylinder, four cycle, air cooled, automatic compression release	Kohler single cylinder, four cycle, air cooled, automatic compression release	Kohler single cylinder, four cycle, air cooled, automatic compression release	Onan 2-cylinder, four cycle, opposed air cooled
HORSEPOWER	10 HP at 3600 rpm	12 HP at 3600 rpm	14 HP at 3600 rpm	16.5 HP at 3600 rpm
AIR CLEANER	Dry type, replaceable element	Dry type, replaceable element	Dry type, replaceable element	Dry type, replaceable element
FUEL SYSTEM	Automotive type, diaphragm fuel pump	Automotive type, diaphragm fuel pump	Automotive type, diaphragm fuel pump	Automotive type, diaphragm fuel pump
STARTING SYSTEM	Automotive Bendix gear starter for positive start, 12V system	Automotive Bendix gear starter for positive start, 12V system	Automotive Bendix gear starter for positive start, 12V system	Automotive Bendix gear starter for positive start, 12V system
OIL CAPACITY (Engine)	5 Pints	5 Pints	5 Pints	4 Pints
FUEL CAPACITY	5.3 U.S. Gallons	5.3 U.S. Gallons	5.3 U.S. Gallons	5.3 U.S. Gallons
LUBRICATION	Splash	Splash	Splash	Force feed oil pump
SPEEDS	8 Speeds	8 Speeds	8 Speeds	8 Speeds
SPEED RANGE	0 - 8.54 MPH	0 - 8.54 MPH	0 - 8.54 MPH	0 - 8.54 MPH
ATTACHMENT P.T.O.	Positive All-Gear & Friction Clutch Drive	Positive All-Gear & Friction Clutch Drive	Positive All-Gear & Friction Clutch Drive	Positive All-Gear & Friction Clutch Drive
TIRES Pneumatic	Front: 16x6.50-8 Lawn & Garden tread Rear: 23x8.50-12 Lawn & Garden tread	Front: 16x6.50-8 Lawn & Garden tread Rear: 23x8.50-12 Lawn & Garden tread	Front: 16x6.50-8 Lawn & Garden tread Rear: 23x8.50-12 Lawn & Garden tread	Front: 16x6.50-8 Lawn & Garden tread Rear: 23x8.50-12 Lawn & Garden tread
OUTSIDE TURNING RADIUS Note: Equal Left & Right	7 Feet	7 Feet	7 Feet	7 Feet
INSIDE TURNING RADIUS	3.6 Feet	3.6 Feet	3.6 Feet	3.6 Feet
WEIGHT - Shipping	900 Lbs.	900 Lbs.	900 Lbs.	960 Lbs.
LENGTH	75.5 Inches	75.5 Inches	75.5 Inches	75.5 Inches
WIDTH	36.25 Inches	36.25 Inches	36.25 Inches	41.75 Inches
HEIGHT	43 Inches	43 Inches	43 Inches	43 Inches
HYDRAULIC LIFT	Not available	Optional Factory Installed	Optional Factory Installed	Standard
HEAD LIGHTS	Not available	Standard	Standard	Standard

GROUND SPEEDS: 1st = .49 MPH, 2nd = .74 MPH, 3rd = 1.1 MPH, 4th = 1.66 MPH, 5th = 2.50 MPH, 6th = 3.75 MPH, 7th = 5.6 MPH, 8th = 8.54 MPH.



Gravely 816, 16.5 HP Riding Tractor with 50-inch Center-Mount Rotary Mower

GET THE BIG MOWING JOBS DONE FAST WHILE YOU GO ALONG FOR THE RIDE

Gravely 50-inch Rotary Mowers are built to rugged specifications. This powerful three-blade mower gives you a smooth, even cut; is driven with a single, horizontal, spring-tensioned belt; is equipped with a quick-set lever and gauge wheels to set mowing height easily.

Hi-lift blades, a cutting height range from 1½ to 3½ inches, and really rugged housings and decks make mowing the pleasure it ought to be.

A mower built so strongly you drive the tractor over it routinely to attach it, and attaching is easy too—only takes a few minutes and no tools.

To use most trailing attachments (for example, a cart) you don't have to detach the mower. If you want to change to another power attachment, it only takes a moment, and no tools to detach the mower.

With a full 50-inch swath and a powerful performance-proved Gravely Riding Tractor, you'll get your big mowing jobs done fast.

FRONT-MOUNT 50-INCH ROTARY MOWER FOR THE UNUSUAL JOBS

If you have rugged cutting to do, with many obstacles (trees, shrubs, plantings), consider the advantages of the out-front 50-inch rotary mower. You have the advantages of better visibility, of the ability to maneuver up and under obstacles, and the fact that the mower cuts the grass before the tractor wheels reach the uncut grass.

The basic mower deck is the same assembly as the 50-inch Center-Mount Rotary Mower. There is a different drive, but the same type of easy coupling, heavy duty universal drive shafts.



Gravely 814, 14 HP Riding Tractor with 50-inch Front-Mount Rotary Mower

SPECIFICATIONS: 50-Inch Rotary Mower, Center-Mount
50-Inch Rotary Mower, Front-Mount

Drive: Universal shaft and right angle bevel gear drive through aluminum die cast gear housing with tapered roller bearings. Single horizontal, spring tensioned "V" belt driving three spindles with sealed ball and needle bearings. Hi-lift blades. Cutting height: 1-1/2 to 3-1/2 inches. Dimensions: L 53-3/8 x W 46-1/2 x H 12-1/2 inches. Cutting width: 50 inches. Net weight: 252 lbs.

JOB MATCHED POWER AND PERFORMANCE TO DO ANY MOWING JOB—BETTER!

No matter what mowing attachment you're using, the Gravely 800 Series Riding Tractors have the right ground speed and the power you need to get your mowing done quickly and easily. Choose a ground speed ranging from a slow, powerful half a mile an hour to a fast, hurry-on-home transport speed of eight and a half miles an hour.

The mowing attachment works at the same constant speed, no matter what ground speed gear you are using.

Gravely Riding Tractors are designed so the attachment speed remains constant for a very practical reason. When you have a tough job to do, you simply gear down, feed the attachment into the work more slowly, and get the job done right.

If you have an easier job to do, do it faster . . . by selecting a higher gear.

With a Gravely Riding Tractor, you match the ground speed to the work requirement . . . get maximum speed and efficiency, maximum satisfaction in a job well done.



Gravely 814, 14 HP Riding Tractor with 40-inch Front-Mount Rotary Mower



Gravely 814, 14 HP Riding Tractor with 40-inch Center-Mount Rotary Mower



Gravely 814, 14 HP Riding Tractor with 40-inch Commercial Rotary Mower

CHOOSE THE BEST MOWER FOR YOU FROM GRAVELY 40-INCH ROTARY MOWERS

Gravely offers two types of 40-inch Rotary Mowers. The front-mount and center-mount 40-inch Rotary Mowers are built to the same general design and specifications as the 50-inch Rotary Mowers. Both are three blade mowers, both attach and detach in minutes without tools, both have all-gear-drive to the attachments.

The same spring-tensioned horizontal "V" belt drive assures a smooth, quality cut.

COMMERCIAL 40—GETS THE JOB DONE FAST

For rough mowing, the 40-inch Commercial Rotary Mower gets the tough jobs done fast. Two heavy duty hi-lift blades; a reinforced steel deck; two horizontal, spring-tensioned belts, gear drive from engine to attachment.

Proved over many years by commercial and homeowner users, the Commercial 40 will get your tough mowing done . . . to your satisfaction.

SPECIFICATIONS: 40-inch Rotary Mower, Center-Mount
40-inch Rotary Mower, Front-Mount

Drive: Universal shaft and right angle bevel gear drive through die cast aluminum gear housing with tapered roller bearings. Single horizontal spring tensioned "V" belt, driving three spindles with sealed ball and needle bearings. Hi-lift blades. Cutting height: 1-1/2 to 3-1/2 inches, adjustable. Dimensions: L 46-1/2 x W 43-3/8 x H 12-1/2 inches. Cutting width: 40 inches. (40" center-mount will not fit Gravely 816 Riding Tractor.)

40-Inch Commercial Rotary Mower

Drive: Right angle bevel gear drive through cast iron housing with tapered roller bearings to horizontal spring tensioned "V" belts that drive two spindles with tapered roller bearings mounted on welded reinforced deck. Hi-lift blades. Cutting height 1-1/2 to 3-3/4 inches. Dimensions: L 34-3/4 x W 42 x H 15-1/2 inches. Cutting width: 40 inches. Net weight: 180 lbs.



Gravelly 814 Riding Tractor with 50-inch Rotary Mower and heavy duty Cart

HAULING CART SPEEDS MATERIAL MOVING, SAVES BACK-BREAKING WORK!

When you have plantings to place, materials to move, the all-steel, self-dumping cart will save you a lot of time and trouble. The big capacity cart—it can haul up to half-ton loads—is attached and detached quickly. The cart is 30 inches wide, 46½ inches long, with 11½ inch sides. Pneumatic tires.

The rear engine design of the Gravelly Riding Tractors gives you maximum traction to haul the heavy loads.

FIVE-FOOT SEEDER-SPREADER

Ride in comfort as you seed or fertilize your lawn with the five-foot Seeder-Spreader. Easy controls set the coverage of seed, lime, or fertilizer.

LAWN ROLLER

Roll out your lawn problems with a lawn roller attachment. Water filled. Follows ground contour, levels your lawn.


Compacting the soil gives you a more close-knit, firmly rooted lawn, more resistant to weeds, disease, and drought.

ALLIED EQUIPMENT

To make your Gravelly Tractor a more versatile lawn machine, Gravelly has a complete line of allied lawn equipment that is easily attached to any 800 Series Gravelly Tractor; most of them without the use of tools. Following is a list of the equipment. For more information refer to the Gravelly Allied Equipment catalog or ask your Gravelly dealer. Brinly-Hardy Roller-Aerator • ARPS Mini Rake and Mini Blade • Amerind-MacKissic Compost Shredder • Kwik-Way Hydraulic Loader • Ryan Plugger-Aerator • Roxy Bonner 60 and 72-inch Gang Reel Mowers, ground-driven • Haban 48-inch Sickle Mower • Kensico Lawn Aerator • E-Z Rake Vac-Sweepers.



FIVE-FOOT SEEDER-SPREADER



LAWN ROLLER

GRAVELY REAR TILLER



Gravelly 816, 16.5 HP Riding Tractor with Rear Tiller, Rear P.T.O. Kit, and Wheel Weights

RUGGED NO-BELT, POSITIVE DRIVE TILLER

The Gravelly Riding Tractors and Rear Tiller attachment are a perfect match for your tilling jobs. With the eight speed transmission you have the ability to choose the right ground speed—down to a half mile an hour power crawl for the really tough tilling jobs. You match ground speed to your soil conditions to give you the tilling results you desire—consistently.

The 30-inch tiller is built ruggedly, powered by a chain and heavy duty universal drive—no belts.

Fingertip control of the rugged, heavy duty tiller is easy with the Hydraulic Lift, standard on 816; factory-installed option on 814, 812.

Gravelly 10, 12, 14 HP Riding Tractors, without hydraulics, lift or lower the tiller by the standard Implement Lift.

Tilling is a specialized task—and Gravelly 800 Series Riding Tractors and the Rear Tiller attachment have been designed to give you a masterful job—precisely controlled, done the way you want it done—effortlessly.

ROTARY PLOW FOR READY-TO-PLANT SEEDBED IN ONE OPERATION

For a ready-to-plant seedbed, attach the Gravelly Rotary Plow to your Gravelly 810, 812, 814 Riding Tractor with the Front Drive Kit and Front Adapter Kit, and be amazed at the ease with which these powerful riding tractors plow a deep, even, mellow seedbed.



Close-up view of rear P.T.O.

ALLIED GARDENING EQUIPMENT

For more information, refer to Gravelly's Allied Equipment catalog or ask your Gravelly dealer.

Brinly attachments: 10" Mold Board Plow • Lift-Type Disc Harrow • Row Crop Cultivator • Power Caster • 42" Rear Blade with Scarifier • Garden Planter and Fertilizer Unit • Tool Bar.

SPECIFICATIONS: Rear Tiller

NO BELTS. Heavy duty universal drive shaft to worm gear drive. Cast iron gear box with ball bearings. Dimensions: L 25 (less universal drive shaft) x W 30 x H 17-5/8 inches. Maximum tilling width: 30 inches. Tine diameter: 14 inches. Tine speed: 154 RPM. Net weight: 180 lbs.



Gravelly 816, 16.5 HP Tractor with 44-inch Snowblower

BLOW YOUR SNOW TROUBLES CLEAR AWAY

It takes only a few moments to mount this big 44-inch blizzard-proved, all-gear-drive Snowblower to your Gravelly 816 Riding Tractor.

Then watch your snow troubles vanish as the two-stage rugged Snowblower blows the snow exactly where you want it—from six inches to 60 feet away.

Handles any kind of snow. Big, steel reels feed the snow into the blower.

With your tractor and your Snowblower both all-gear-drive, you handle the toughest snows without worrying about belts or chains.

You change the throw from the driver's seat with a handy control. Control the throw even closer with an adjustable deflector chute if you need to.

The Gravelly 800 Series Riding Tractors, with their choice of eight ground speeds and constant attachment speed, turn in an amazing performance with the Gravelly Snowblower.

You gear down to a crawl—as low as .50 MPH at full engine RPM—while the Snowblower remains at its constant speed. Requires Front Drive Kit.

The 44-inch Snowblower is recommended for the 816, 814, 812 Tractors with factory-installed Hydraulic Lift because of the power requirements and the weight of the Snowblower. Try it—watch the snow go!

SPECIFICATIONS: 44-Inch Snowblower

NO BELTS. Two-stage Snowblower with direct drive by heavy duty universal drive shaft. Blower drive shaft enclosed in a cast iron housing with ball bearings. Worm gear reel drive enclosed in cast iron housing with sealed ball and needle bearings protected by a reel slip clutch. Reel supported by self-aligning sealed ball bearings. Replaceable wear strip. Directional chute assembly operated by control at operator's position. Swath: 44 inches. Dimensions: L 37 x W 44 x H 30 inches. Net weight: 260 lbs. Optional: Caster Kit (includes drift cutters). See PROPER EQUIPMENT MAKES SNOW REMOVAL EASY, Page 13.

KEEP OLD MAN WINTER AWAY ALL SEASON LONG

For the tough snow removal tasks, mount this big 38-inch Snowblower to your Gravely 814, 812 or 810 Riding Tractor. It takes only minutes to mount but saves you hours of back-breaking shoveling and hauling.

The 38-inch Snowblower is unquestionably one of the finest Snowblowers on the market today. It has rugged heavy duty steel construction, plus an all-gear-and-steel-shaft-drive.

Change the direction of the throw from the driver's seat. When snow comes, attack with your Gravely—then sit back in comfort and watch your neighbors dig away!

BLIZZARD TESTED AND PROVED

There are no belts to slip or break in the Gravely 38-inch Snowblower because it has an all-gear-and-steel-shaft-drive from the engine to the attachment. Chute rotation from right to left lets you put the snow exactly where you want it, controlled from the driver's position.

The two-stage reel and fan construction lets you blow snow from six to sixty feet away—even heavy, wet snows.

Another advantage of a Gravely Riding Tractor and Snowblower is that no matter what speed you move snow, whether it be the slowest speed of .50 MPH or a faster speed, the Snowblower operates at its optimum speed at all times. You match speed and power to any snow removal job.

The 38-inch Snowblower is recommended for 814, 812, 810 Tractors. Manual Lift is standard on the 810, the Lift Assist Kit is recommended. Either the optional factory-installed Hydraulic Lift or the standard Manual Lift with Lift Assist Kit may be used on the 814, 812.



Gravely 814 Riding Tractor with 38-inch Snowblower and Optional Factory-Installed Hydraulics

SPECIFICATIONS: 38-Inch Snowblower

NO BELTS. Two-stage Snowblower with direct drive by heavy duty universal drive shaft. Blower drive shaft enclosed in cast iron housing with sealed ball bearings. Worm gear reel drive enclosed in cast iron housing with sealed ball and needle bearings; protected by a reel slip clutch. Reel supported by self-aligning sealed ball bearings. Replaceable wear strip. Directional chute assembly operated by control at the operator's position. Swath: 38 inches. Dimensions: L 37 x W 38 x H 30 inches. Net weight: 250 lbs. Optional: Caster Kit (includes drift cutters).



DRIFT CUTTER

For deep snows and drifts. Drift cutters help keep snow feeding correctly to the reel.



PROPER EQUIPMENT MAKES SNOW REMOVAL EASY

Shown at the left is a Gravely 800 Series Riding Tractor properly equipped for snow removal.

Notice the heavy duty Tire Chains and Wheel Weights that provide improved weight and traction to move heavy, wet snow in icy conditions.

Easily installed in minutes.



Gravelly 816 Riding Tractor with SnowDozer, Chains, and Wheel Weights

48-INCH SNOWDOZER MOVES SNOW, DIRT

The Gravelly SnowDozer is built ruggedly to do the tough snow moving jobs fast. It gets its push from the rear axle, taking full advantage of the traction and power of the rear engine design of the 800 Series Gravelly Riding Tractors.

Reinforced spring-trip blade is adjustable 25° left and right, or set to bulldoze straight ahead by a convenient lever actuated from the operator's position.

SnowDozer attaches and detaches in less than a minute after the permanently mounted rear axle brackets are in place.

Height is adjusted by the position lock and Implement Lift lever. Gravelly 812 and 814 Riding Tractors may use the optional factory-installed Hydraulic Lift. The Hydraulic Lift is standard on the 816 Riding Tractor.



Gravelly 816 Riding Tractor with 48-inch SnowDozer

DO LIGHT LANDSCAPING

SPECIFICATIONS: 48-Inch SnowDozer

Reinforced spring-trip steel blade with replaceable wear strip, featuring three position angle adjustment from operator's position. Dimensions: L 68 x W 48 x H 16-1/2 inches. Weight: 130 lbs.



Gravelly 816, 16.5 HP Riding Tractor with 44-Inch Power Brush, Front Drive Kit

MAKE A CLEAN SWEEP WITH THE GRAVELLY POWER BRUSH

Match a Gravelly Riding Tractor with this heavy duty 44-inch Power Brush, and you have a combination that is hard to beat.

The Power Brush is an indispensable tool for the commercial owner and for many homeowners. Designed to give a clean sweeping action. It sweeps light snow (up to four inches deep) or loose dirt and debris away in just one pass, leaving the area worked clean, clear down to the pavement.

To prevent snow and ice taking over your walks and drives, and to keep them safe all winter long, use the Gravelly Power Brush to sweep off the snow as it comes down. Keep the snow from having a chance to build up and freeze into ice.

The Power Brush is completely gear and shielded-chain driven with NO BELTS to break or slip when the going gets rough. This means you can dig right into wet, soggy, or fluffy snow.

As an aid in adjusting the brush sweeping direction, Gravelly has installed a control lever at the driver's position that lets you adjust the direction of the sweep 20 degrees to the left, straight ahead or 20 degrees to the right.

Two controls, one on the rear of each side of the brush housing, let you adjust the contact pressure on either side of the brush individually.

The brush can be replaced easily by simply sliding the old brush off the shaft and sliding a new one on.

The brush is made of heavy duty, long lasting plastic bristles. Where there are special applications brushes made with steel bristles are available at your Gravelly dealer.


Attaching the Power Brush to any Gravelly Riding Tractor is a simple operation requiring no tools. The Gravelly Front Drive Kit is required.

For convenience, economy, and good service and a lot of work time saved, get a Gravelly Riding Tractor and a Power Brush attachment and find out for yourself what Gravelly power can do for you.

SPECIFICATIONS: 44-Inch Power Brush

NO BELTS. Right angle bevel gear drive with tapered roller bearing in an aluminum die cast drive housing. Brush driven with 5/8 inch sprocket chain, and supported with self-aligning ball bearings. Dimensions: L 32 x W 52 x H 19 inches. Brush dimensions: 18 inch diameter x 44 inch length. Casters: 6 inches in diameter.

THE GREAT GRAVELY DURABILITY "MOW"...



**WASHINGTON, D.C., TO NEW YORK CITY
...IN JUST 12 DAYS**


**306 MILES OF TRAVELING,
MOWING, AND TILLING**

To prove the performance and durability of Gravelly Tractors, a 408 Lawn Tractor, an 816 Riding Tractor, and a Commercial 12 Convertible Tractor were sent on a torturing 12-day trip from Washington, D. C., to New York City.

The Great Gravelly Durability Mow was equivalent to years of work—traveling through all kinds of weather and terrain, mowing grass, weeds and underbrush, even pausing to use plow and tiller attachments.

306 miles of machine against nature, and the Gravelly Tractors took it all in stride, with only normal maintenance. If these tractors can live through this kind of punishment, can your lawn or garden be a problem?

Sold and serviced by:



Join the thousands of Gravelly owners—they are a special kind of people—they're perfectionists who know and demand quality—who know and demand value for every dollar they invest.

They know—as you will discover—that Gravelly's 55 years of specialization in the manufacture, sales and service of Gravelly equipment has produced equipment that has stood the test of time; whose new and improved products are backed by many solid years of experience and the most modern technology in manufacturing and engineering.

Ask the man who owns one!

And quality Gravelly products are backed by the finest service organization in the industry . . . your Gravelly dealer thinks of you—and treats you—as a friend.

The final test of any equipment, of course, is how it works on your land, doing the jobs you have to do. We urge you to request a demonstration of the tractor of your choice.

GRAVELLY
GRAVELLY LANE. CLEMMONS. NORTH CAROLINA 27012
DIVISION OF CLARKE-GRAVELLY CORPORATION

Manufacturer reserves the right to change appearance, function and components of any Gravelly product without notice or liability.

Part Number 20086L2 Printed in the United States of America March 1973