


Parts Manual





927-0253 6-86 (SPEC A-J) Replaces 6-81 (Spec A-J) Printed in U.S.A.

1

MODEL IDENTIFICATION

To avoid errors or delay in filling your parts order, always give the MODEL, SPEC NO. and SERIAL NO. from the Onan nameplate.

For handy reference, insert your nameplate information in the spaces below.

MODEL AND SPEC NO.

SERIAL NO.

DIGITAL CONTROL SOFTWARE VERSION AND DATE (IF APPLICABLE)

SAFETY PRECAUTIONS

The following symbols are used in Onan manuals to alert users to the potentially dangerous conditions relating to maintenance of equipment and replacement of parts. Please read and observe.

This symbol warns of immediate hazards which will result in severe personal injury or death.

This symbol refers to a hazard or unsafe practice which can result in severe personal injury or death.

This symbol refers to a hazard or unsafe practice which can result in severe personal injury or product or property damage.

PRODUCT SAFETY PRECAUTIONS

Service and repair of Onan equipment must be performed by trained, experienced personnel only. Improper service or repair may result in property damage, severe personal injury or death. Do not use this catalog as a guide to servicing your equipment. Read and follow the IMPORTANT SAFETY INSTRUC TIONS in the Service Manual appropriate for the equipment you are working on.

Contact with USED ENGINE OILS has been identified by a United States federal agency and some USA state agencies as causing CANCER or REPRODUCTIVE TOXICITY. When checking or changing engine oils take all necessary precautions not to ingest, breathe the fumes or contact the used oil.

Contact with ASBESTOS has been identified by a United States federal agency and some USA state agencies as causing CANCER or REPRODUCTIVE TOXICITY. When handling engine gaskets take all necessary precautions not to ingest, breathe or contact the dust from the gaskets! Use adequate ventilation and wear protective gloves, masks and clothing!

WARNING

Contact with BENZINE and LEAD, found in gasoline, fuel additives and solvents has been identified by a United States federal agency and some USA state agencies as causing CANCER or REPRODUC-TIVE TOXICITY. When checking, draining or adding gasoline and fuel additives or using solvents take all necessary precautions not to ingest, breathe the fumes or contact the liquids. Use adequate ventilation and wear protective gloves, masks and protective clothing!



ï

ŝ.

General Information

For parts or service, contact the dealer from whom you purchased this equipment or refer to your Nearest Authorized Onan Parts and Service Center.


To avoid errors or delay in filling your parts order, always give the MODEL, SPEC NO. and SERIAL NO. from the Onan nameplate.

0	0	
Onon		
MODEL AND SPEC NO.		
SERIAL NO.		
For handy reference insert "VOUP"	Ш	M-

For handy reference, insert "YOUR" nameplate information in the spaces above.



TAKE ALL NECESSARY PRECAUTIONS WHEN CHECKING OR CHANGING ENGINE OIL NOT TO INGEST, BREATHE THE FUMES OR CONTACT THE OIL. USED ENGINE OILS HAVE BEEN IDENTIFIED BY FEDERAL AND SOME STATE AGENCIIES AS CAUSING CANCER.



TAKE ALL NECESSARY PRECAUTIONS WHEN HANDLING ENINGE GASKETS. DO NOT INGEST, BREATHE, OR CONTACT DUST FROM GASKETS. USE ADEQUATE VENTILATION AND WEAR PROTECTIVE GLOVES, MASK AND CLOTHING. ASBESTOS HAS BEEN IDENTIFIED BY FEDERAL AND SOME STATE AGENCIES AS CAUSING CANCER.

INDEX

Adapter, Exhaust (Flange Type) 48 Arm and Shaft, Governor 6 Arm, Extension - Governor 48 Armature, Starter 16, 17, 28, 29 Baffle, Breather Tube 4 Base, Air Cleaner 4, 48 Base, Oil 3 Bearing, Camshaft 4 Bearing, Crankshaft 4 Block, Cylinder 4 Box, Breaker 13, 14, 15, 20, 21 Bracket, Governor Control 15, 38 Bracker, Ignition Coil 14, 48 Brush, Ground-Starter 16, 17, 28, 29 Cable, Spark Plug 13, 14, 48 Camshaft 6.48 Cap, Breather 4, 48 Cap, Fuel Tank 35 Carburetor, Gasoline 12, 30, 32, 34 Clamp, Coil 14, 48 Clamp, Muffler 48 Coil, Ignition 13, 14 Cover, Air-Cleaner 10 Cover, Breaker Box 15, 20, 21 Cover, Valve 4 Crankshaft 7 Element, Air Cleaner 10 Filter, Fuel 37 Filter, Oil (Spin-On) 43 Filter, Oil (Cartridge Type) 43 Flywheel 7, 22, 23, 24 Gasket, Breaker Box 13, 14, 15, 20, 21 Gasket, Cylinder Head 4 Gasket. Oil Base 3 Gasket, Valve Cover 4 Gear, Cam Shaft 6, 48 Gear, Crankshaft 7 Gear, Ring 7, 22, 23, 24, 44 Gearcase 6, 23, 48 Governor 38 Guard, Flywheel 48 Guide, Valve 48

Head. Cylinder 4 Heater, Oil Base 48 Holder, Brush 16 Hose, Breather 10, 48 Hose, Fuel 30, 31, 47 Housing, Blower 18, 44 Housing, Cylinder 18 Line, Fuel-Gasoline 11, 30, 31, 35, 36 Line, Oil 3, 39, 43, 48 Manifold, Exhaust 48 Manifold, Intake 10 Muffler, Exhaust 10, 48 Piston 8.48 Plate, Bearing-Rear 4 Plug, Spark 13, 14 Pump, Fuel-Manual 9, 10 Pump, Fuel-Vacuum Pulse 47 Pump, Oil 3 Regulator, Voltage 22, 24, 25, 26, 27 Ring, Piston 8 Rod, Connecting 8 Rod, Control 15 Seal. Air 43 Seal, Oil 4, 6, 48 Seat, Valve 4, 48 Solenoid, Start 28, 29, 48 Starter, Electric 16, 17, 28, 29 Starter, Redi-Pull 45 Stator 22, 23, 24 Strap, Fuel Tank 35 Switch, Ignition 14, 48 Switch, Pressure-Oil 48 Switch, Stop 13, 39, 48 Tank, Fuel 35 Tappet, Valve 4 Tube, Breather 4, 10, 37, 48 Tube, Oil 4, 43 Valve, Exhaust 4 Valve, Intake 4.48 Valve, Shut-Off 35 Wrapper, Air Cleaner Element 48

INTRODUCTION

This catalog applies to the industrial CCK and CCKA Engines listed below and factory installed options. Parts are arranged in groups of related items. Each illustrated part is identified by a reference number corresponding to the same reference number in the parts list for that group. Parts illustrations are typical. Using the *MODEL* and *SPEC NO*. from the engine nameplate, select the Parts Key No. (1, 2, etc., in the last column) that applies to your Engine Model and Spec No. This Parts Key No. represents parts that differ between models. Unless otherwise mentioned in the description, parts are interchangeable between models. Right and left engine sides are determined by facing the blower end (front) of the engine.

MODEL AND SPEC NUMBER	FEATURES	PARTS KEY NUMBER
CCK-S/* CCK-F/* CCK-3G/* CCK-4G/*	Manual Start with Stub Shaft Manual Start with Optional Clutch Drive Manual Start with Optional 3.3 to 1 Gear Reduction Manual Start with Optional 4 to 1 Gear Reduction	1 1 1 1
CCK-MS/* CCK-MF/* CCK-3MG/* CCK-4MG/*	Electric Start with Stub Shaft Electric Start with Optional Clutch Drive Electric Start with Optional 3.3 to 1 Gear Reduction Electric Start with Optional 4 to 1 Gear Reduction	2 2 2 2 2
CCKA-S/* CCKA-F/*	Manual Start with Stub Shaft Manual Start with Optional Clutch Drive	3 3
CCKA-MS/* CCKA-MF/* CCKA-3MG/* CCKA-4MG/*	Electric Start with Stub Shaft Electric Start with Optional Clutch Drive Electric Start with Optional 3.3 to 1 Gear Reduction Electric Start with Optional 4 to 1 Gear Reduction	4 4 4 4

DATA TABLE

* - The Specification Letter advances (A to B, B to C, etc.) with manufacturing changes.


NOTE: New model designations shown, begin during 1969. Previously a V was used in the model to designate Vacu-Flo (suction type) cooling.

NOTICE!

ITEMS REFERENCED AS **OPTIONAL** INDICATE PART IS FACTORY INSTALLED AND MAY NOT BE APPLICABLE TO ALL MODELS. FOR FIELD CONVERSIONS ADDITIONAL PARTS ARE USUALLY REQUIRED.

STANDARD ENGINE PARTS SECTION

This section contains the engine parts used on standard engines listed in the Engine Data table.




13

1


Gasket, Oil Base

,



REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
14	PLUG, OIL	DRAIN	
	505-0110	1	3/8" Pipe (Used on Early Models)
	505-0056	1	1/2" Pipe (Used on Late Models)
15	TUBE, OIL	FILL	
	123-0674	1	Begin Spec J
	123-0508	1	Spec A Through H
16	850-0040	2	Washer, Lock - Spring (1/4")
17	821-0018	2	Screw, Cap - Hex Head Locking (1/4-20 x 5/8")
18	CAPANDI	NDICATOR,	OILFILL
			Key 1 and 3
	123-0762	1	Begin Spec J
	123-0506	1	Spec A Through H
			Key 2 and 4
	123-0694	1	Begin Spec J
	123-0527	1	Spec A Through H
19	123-0191	1	Gasket, Oil Fill Cap
20	141-0078	1	Gasket, Oil Fill Tube
21	502-0020	1	Elbow, Street - Oil Line Spec A Through H
22	505-0057	1	Plug, Oil Outlet in Block Begin Spec J
23	501-0004	1	Line, Oil - Spec A Through H
24	502-0005	1	Elbow, Oil Line to Gauge
			Spec A Through H
25	193-0005	1	Gauge, Oil Pressure - Spec A Through H

CYLINDER BLOCK



4

CYLINDER BLOCK

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	BLOCK ASSE		CYLINDER
•	110-0915	1	Engines with Stub Shaft
		•	(Includes Parts Marked *)
	110-0915	1	Engines with Clutch Drive
	110-0515	1	(Includes Parts Marked *)
	110-1707	1	Engines with Gear Reduction
	110-1707	,	(includes Parts Marked Δ)
2	517-0048	1	Δ *Plug, Expansion - Camshaft
2	017-0040	1	
			Opening in Block - Engines
•			Without Spark Advance
3	110-1283	1	△*Cover, Camshaft Opening
			in Block - Engines With
			Spark Advance
4	101-0367	2	∆*Bearing, Camshaft (Precision)
5	120-0386	1	∆*Tube, Crankcase Oil
6	INSERT, EXH	AUST V.	ALVESEAT
	110-0872	2	∆*Standard
	110-0872-02	2	.002" Oversize
	110-0872-05	2	.005" Oversize
	110-0872-10	2	.010" Oversize
	110-0872-25	2	.025" Oversize
7	101-0115	1	∆*Gasket Kit, Bearing Plate
8			(CLUDES BEARING)
•	101-0316	1	*Engines with Stub Shaft
	101 0010		Begin Spec F
	101-0258	1	Engines with Stub Shaft
	101-0200	•	Spec A Through E
	101-0316	1	
	101-0310	I	*Engines with Clutch Drive
	101 0050		Begin Spec F
	101-0258	1	Engines with Clutch Drive
	101 0000		Spec A Through E
	101-0390	1	∆Engines with Gear Reduction
			Begin Spec F
	101-0232	1	Engines with Gear Reduction
•		_	Spec A Through E
9	850-0045	5	△*Washer, Lock - Spring (5/16")
10	800-0512	5	△*Screw, Cap - Hex Head
			(Special)
11			HAFT - BEGIN SPEC F
	(Includes T	hrust Wa	asher)
	101-0450	2	∆ Standard
	101-0450-02	2	002" Undersize
	101-0450-10	2	010" Undersize
	101-0450-20	2	020" Undersize
	101-0450-30	2)30" Undersize
12	104-0575	2	∆* Washer, Crankshaft Bearing Thrust
			Begin Spec F
· 13	516-0072	4	∆*Pin. Crankshaft Bearing Stop
			(2 only Spec AThrough E)
14	516-0141	2	Δ*Pin. Gearcover Align
15	110-0902	4	Δ'Guide. Valve
16	123-0953	1	Tube. Breather - Begin Spec J
17	123-0958	2	Screen, Breather Tube - Begin Spec J
18	509-0117	2	Screen, Breather Tube - Begin Spec J Seal, "O" Ring - Breather Tube
10	509-0117	1	
	100 0051		Begin Spec J Clama Broathan Tuba Basia
19	123-0951	1	Clamp. Breather Tube - Begin
20	900 0005		Spec J Seren Tenning - Den Hood
20	809-0035	1	Screw, Tapping - Pan Head
~-	100.0000		(#8 x 3/4") Begin Spec J
21	123-0865	1	Baffle. Breather Tube - Begin
			Spec J


.

BLOCK				
	REF NO		QTY. USED	PART DESCRIPTION
	22	123-0954	1	Cap, Breather Tube - Begin Spec J
	23	123-0073	1	Cap, Breather Tube - Spec D Through H
	24	123-0293	1	Cap, Breather Tube - Spec A Through C
	25	TUBE, BREATHE	R	5
		123-0129	1	Spec D Through H (1 x 4-11/16")
		123-0521	1	Spec A Through C (1 x 5-11/16")
	26	123-0104	1	Valve, Breather - Spec A Through H
		800-0012	2	Screw, Cap - Hex Head (1/4-20 x 2-1/4")
	28	526-0063	2	Washer, Flat - Copper (17/64" ID x 7/16" OD x 1/32" Thk)
	29	110-0666	2	Cover, Valve Compartment
	30	110-0667	2	Gasket, Valve Compartment Cover
	31	TAPPET, VALVE	-	
	•	115-0006	4	Standard
		115-0006-05	4	.005" Oversize
	32	110-0639	8	Lock, Valve Spring Retainer
	33	110-0893	2	Washer, Intake Valve Spring Retainer
	34	110-0904	2	Rotocap, Exhaust Valve Spring Retainer
	35	110-0539	4	Spring, Valve
	36	VALVE		
		110-0881	2	Intake
		110-0880	2	Exhaust
	37	110-0892	2	Gasket, Cylinder Head
	38	HEAD, CYLINDE	-	
		110-0890	1	Right Side (#2 Cylinder) - Key I and 2 (Low Compression)
		110-0884	1 •	 Right Side (#2 Cylinder) - Key 3 and 4 (High Compression)
		110-0891	1	Left Side (#1 Cylinder) - Key 1 and 2 (Low Compression)
		110-0883	1 0	 Left Side (#1 Cylinder) - Key 3 and 4 (High Compression)
	39	526-0122	18	Washer, Flat (11/21" ID x 23/21" OD x 10 Ga.)
	40	SCREW, HEX HE	EAD C	
		110-0879	8	Special
		114-0022	10	Special
	41	509-0041	1	Seal, Oil (in Gasket Kit 168-0103) (Not used on
				Engines with 4 to 1 Reduction Gear Box)
	42			AFT - SPEC À THROUGH E
		101-0181	2	Standard
		101-0181-02	2	.002" Undersize
		101-0181-10	2	.010" Undersize
		101-0181-20	2	.020" Undersize
		101-0181-30	2	.030" Undersize
	43	110-0445	5	Nut, Hex (Bearing Plate Mounting - on Some Early Models) (Special)
	44	104-0776	1	Shim, Crankshaft Thrust Bearing
	45	520-0114	5	Stud, Rear Bearing Plate Mounting (On some early models)
	46	123-1600	1	Kit, Breather Icing (Optional)

* - Parts Included in 110-0915 Cylinder Block Assembly.
△ - Parts Included in 110-1707 Cylinder Block Assembly.
• Hi Compression head can be identified by a 3/32" radius boss on the underside of head on corner nearest the spark plug hole.




CAMSHAFT



REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF NO.	. PART NO.	QTY. USED	PART DESCRIPTION
1	150-0078	1	Ring, Retaining	9	CAMSHAFT		
2	150-1695	1	Kit, Governor Cup (Includes Hub and Cup)	·	105-0140	1	Key 1 and 2 (Includes Center Pin)
2A	150-1519	1	Hub, Governor Cup		105-0295	1	Key 3 and 4 - Begin Spec J
2B	150-1520	1	Cup, Governor			•	(Includes Center Pin and
3	BALL, FLY -	GOVERN	OR				Spark Advance Mechanism
	510-0015	10	Key 1 and 2				Pins) (3/16" Pins)
	510-0015	5	Key 3 and 4		105-0234	1	Key 3 and 4, Spec A Through H
4	150-1257	1	Spacer, Governor Flyball			•	(Includes Center Pin and
5	150-0077	1	Plate, Governor Flyball				Spark Advance Mechanism
6	105-0332	1	Gear, Timing (Includes				Pins) (1/8" Pins)
			Spacer and Plate)	10	150-0075	1	Pin, Camshaft Center
7	105-0541	1	Washer, Thrust			•	
8	515-0001	1	Key, Camshaft Gear Mounting				


GEARCASE




REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	GEARCASE	ASSEMBI	_Y
	103-0667	1	Begin Spec J (Includes Parts Marked †)
	103-0648	1	Specs A through H (Includes Parts Marked *)
2	510-0013	1 1	*Bearing, Needle - Upper
3	SHAFT AND	ARM ASS	SEMBLY GOVERNOR
	150-1542	1	†Begin Spec J
	150-0710	1	*Spec A through H
4	150-1187	1	†Yoke, Governor Shaft - Begin Spec J
5	509-0040	1 1	*Seal, Oil - Crankshaft
6	516-0130	1 1	*Pin, Cup Stop
7	BEARING N		
	510-0013	1	†Begin Spec J
	510-0008	1	*Spec A through H
8	510-0014	1 1	*Ball, Bearing
9	150-0678		*Clip, Sensitivity Adjustment
10	509-0008		*Seal, Oil
11	815-0046	2	†Screw, Machine - Pan Head (#8-32 x 3/8") - Begin Spec J
12	150-0620	1	*Yoke, Governor Shaft - Spec A through H
13	518-0129	1	*Ring, Governor Yoke Retaining - Spec A through H
14	SCREW, CA	P - HEX H	
	800-0032	4	5/16-18 x 1-3/4"
	800-0034	1	5/16-18 x 2-1/4"
15	850-0045	5	Washer, Lock - Spring (5/16")
16	103-0011	1	Gasket, Gearcase
- D-	المحاسب المحالية	- 100 000	

+ - Parts Included in 103-0667 Gearcase Assembly.
* - Parts Included in 103-0648 Gearcase Assembly.

CRANKSHAFT AND FLYWHEEL







CT-1027

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.		QTY. USED	PART DESCRIPTION
1	104-0170	1	Screw, Cap - Hex Head (Special)	8	1 34-06 73	1	Gear, Ring - Flywheel - Key 2 and 4
2	850-0055	1	Washer, Lock - Spring (7/16")	9	518-0014	1	Ring, Retaining
3	WASHER, FL	LAT		10	104-0043	1	Washer, Gear Retaining
	526-0017	1	Key 1 and 3 (15/32" ID x	11	104-0032	1	Gear, Timing
			1-1/4" OD x 1/4" Thk)	12	515-0227	1	Key, Flywheel Mounting
	526-0128	1	Key 2 and 4 (15/32" ID x	13	515-0001	1	Key, Timing Gear Mounting
			1-1/2" OD x 1/4" Thk)	14	CRANKSHAF	T (Include	s Kevs)
4	SHEAVE, RO	DPE					Begin Spec J
	192-0308	1	Key 1 and 2, Begin Spec E		104-1316	1	Engines with Stub Shaft
	160-0222	1	Key 1, Spec A through D		104-1316	1	Engines with Clutch Drive
	192-0308	1	Key 2, Spec A through D		104-1296	1	Engines with 4 to 1 Gear
	192-0308	1	Key 3 (Optional Key 4)				Reduction (Includes Pinion
5	5 192-0296 1 Backplate, Rope Sheave - Key			,			Gear, Thrust Washer and Key)
6	FLYWHEEL		Key 1		104-0905	1	Engines with 3:3 to 1 Gear Reduction
	160-0937	1	Begin Spec G (Includes				Spec G through H
			Magnets)		104-1316	1	Engines with Stub Shaft
	160-0650	1	Spec E through F (Includes		104-1279	1	Engines with Clutch Drive
			Magnets)		104-1296	1	Engines with Gear Reduction
	160-0202	1	Spec A through D (Includes				Spec A through F
			Magnets)		104-1316	1	Engines with Stub Shaft
			Key 3		104-1316	1	Engines with Clutch Drive
	160-1072	1	†Begin Spec J (Includes		104-1296	1	Engines with Gear Reduction
			Magnets)		104-1323	1	Taper Shaft (Welders Only)
	160-0761	1	†Spec A through H (Includes	15	192-0083	1	Rope, Starting - Key 1 and 3
			Magnets)	16	515-0202	1	Key, Stub Shaft
7	FLYWHEEL	(Includes	Gear)				-
	134-2728	1	Keys 2 and 4 - Begin Spec J	† - N	OTE: If screws	protrude t	hrough Magnets use 526-0049 Brass
	134-0675	1	Key 2 - Spec A through H		asher to Shim.		
	134-1192	1	Key 4 - Specs A through H				

.





CT-1028

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	RE		QTY. USED	
1	BEARING, CO	NNECT	NG ROD-BEGIN	8	RING SET, PIS	TON	
	SPEC D (HA	LF)					Key 1 and 2
	114-0145	4	Standard		113-0152	2	Standard
	114-0145-02	4	.002" Undersize		113-0152-05	2	.005" Oversize
	114-0145-10	4	.010" Undersize		113-0152-10	2	.010" Oversize
	114-0145-20	4	.020" Undersize		113-0152-20	2	.020" Oversize
	114-0145-30	4	.030" Undersize		113-0152-30	2	.030" Oversize
2	114-0203	2	Rod Assembly, Connecting		113-0152-40	2	.040" Oversize
			(Includes Bushing and Place Bolts) - Begin Spec D				Key 3 and 4 (Chrome Plated Top Compression Ring)
3	805-0010	4	Bolt, Place (5/16-24 x 1-1/4")		113-0153	2	Standard
			Begin Spec D		113-0153-05	2	.005" Oversize
4	114-0036	2	Bushing, Connecting Rod - Begin		113-0153-10	2	.010" Oversize
			Spec D		113-0153-20	2	.020" Oversize
5	PISTON AND	PIN (Inc	ludes Retaining Rings)		113-0153-30	2	.030" Oversize
	112-0179	2	Standard		113-0153-40	2	.040" Oversize
	112-0179-05	2	.005" Oversize	9	ROD, CONNE	CTING - S	SPECA
	112-0179-10	2	.010" Oversize		THROUGH	C (Alumir	າມຕາ)
	112-0179-20	2	.020" Oversize		114-0098	2	Standard
	112-0179-30	2	.030" Oversize		114-0098-10	2	.010" Undersize
	112-0179-40	2	.040" Oversize		114-0098-20	2	.020" Undersize
6	112-0003	4	Ring, Retaining		114-0098-30	2	.030" Undersize
7	112-0069	2	Pin, Piston	10	110-0284	4	Screw, Cap - Hex Head (Hardened) Spec A Through C
				11	114-005 9	4	Washer, Lock Tab - Spec A Through C


FUEL PUMP PARTS

-10

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
	149-0693	1	Pump, Fuel (Complete)
	149-0526	1	Kit, Repair (Includes Parts Marked *)
1		1	Body, Upper (Not Sold Separately)
2	815-0148	4	Screw, Cap - Slotted Hex Head (#8-32 x 7/8")
3	815-0147	2	Screw, Machine - Oval Head Phillips (#6-32 x 5/8")
4	149-0096	2	*Valve and Cage
5	149-0095	2	*Gasket, Valve
6	149-0582	1	Diaphragm Assembly
7	149-0672	1	*Spring
8	149-0539	1	Retainer, Valve Cage
9	149-0675	1	*Spring
10	516-0113	1	Pin, Rocker Arm
11		1	Body, (Not Sold Separately)
12	149-0710	1	Link and Arm Set, Rocker
13	518-0129	1	Ring, Retainer - Primer Lever
14	149-0551	1	Lever, Primer
15	50 9-006 5	2	Seal, "O" Ring
16	149-0404	1	Spring, Primer Lever
17	149-0003	1	*Gasket, Pump Mounting
18	149-0858	1	*Gasket, Diaphragm (Air Lock Prevention)

* - Parts Included in 149-0526 Repair Kit.

SPARK ADVANCE MECHANISM - KEYS 3 AND 4



PART DESCRIPTION

(Magneto Ignition) Key 3, Specs A through H

Key 4, Specs A through H

(Magneto Ignition) Key 4, Begin Spec J (Battery Ignition)

(Battery Ignition)

REF.

NO.

1

2 3 PART

NO.

160-0791

160-0789

160-1198

160-0790

QTY.

USED

1

2

2

• 2


 516-0144
 4
 Pin, Roll (7/16")

 WEIGHT ASSEMBLY (INCLUDES PINS)
 160-1049
 2
 Key 3, Begin Spec J

Cam

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
4	PIN GROOVE		
	516-0172	2	.1935" Dia x 1/16" Lg. - Begin Spec J
	516-0146	2	1/8" Dia x 1-1/4" Lg. - Specs A through H
5	SPRING		
	160-1051	1	Begin Spec J
	160-0727	1	Specs A through H
6	160-0726	1	Retainer, Specs A through H
7	RING, RETAIN	ING	
	518-0129	2	Begin Spec J
	518-0185	2	Specs A through H

ES-1139



EXHAUST AND FUEL SYSTEM


REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	865-0020	1	Nut, Wing (1/4-20) - Begin Spec J	22	LINE, FUEL SPEC J	PUMP TO	CARBURETOR - BEGIN
2	140-1295	1	Cover, Air Cleaner - Begin		503-0644	1	Key 1 and 3
			Spec J		503-0694	1	Key 2 and 4
3	140-1216	1	Element, Air Cleaner (Paper) -	23	ELBOW, BA	RBED - BE	GIN SPEC J
			Begin Spec J		502-0313	1	Fuel Pump Outlet - Key
4	BASE, AIR C	LEANER					1 and 3
	140-1344	1	Begin Serial Number 0975977797		502-0313	1	Fuel Pump Inlet
			During Spec J	24	502-0002	2	Elbow, Fuel Line to
	140-1356	1	Spec J through Serial Number				Carburetor and Fuel Pump -
			0975977796 During Spec J				Specs A through H
_			(Includes 503-0189 Clamp)	25	149-0611	1	Line, Fuel - Specs A through H
5	CLAMP, AIR			26	149-0693	1	Pump, Fuel (See Separate
	503-0398	1	Begin Serial Number 0975977797			_	Group for Components)
			During Spec J	27	806-0009	2	Screw, Cap - Counterbore Head
	503-0019	1	Specs A through H				Hardened (1/4-20 x 1-1/4")
6	509-0124	1	Seal, "O" Ring - Spec J	28	502-0020	1	Elbow, Fuel Pump Inlet -
			through Serial Number			_	Specs A through H
_			0975977796 During Spec J	29	149-0003	2	Gasket, Fuel Pump
7	140-1058	1	Clamp, Air Cleaner - Spec J	30	149-0045	1	Spacer, Fuel Pump
			through Serial Number	31	800-0054	2	Screw, Cap - Hex Head
-			0975977796 During Spec J			•	(3/8-16 x 2")
8	CLEANER,	•		32 33	850-0050 SCREW, INT		Washer, Lock - Spring (3/8")
	140-0283	1	Specs D through H	33			
~	140-0494	1	Specs A through C		821-0004	1	Hex Head Self Locking (#10-32 x 5/8") - Begin Spec J
9	HOSE, BRE		Pasia Carial Number		813-0098	1	Round Head Machine
	123-1264	1	Begin Serial Number		013-0090	1	(#10-32 x 3/8") - Spec A
	123-1263	1	0975977797 During Spec J Spec J through Serial Number				through H
	123-1203		0975977796 During Spec J	34	853-0008	1	Washer, Lock - ET (#10) -
10	503-0769	1	Clamp, Hose - Begin Spec J	54	0000-0000		Specs A through H
11	140-0471	1	Tube, Breather Cap to Air	35	154-0356	1	Manifold, Intake
	140-0471	•	Cleaner - Specs D through H	36	154-0013	2	Gasket, Intake Manifold
12	123-0522	1	Tube, Breather Cap to Air	37	331-0053	2	Nut, Locking (1") - Begin
16	120-0022	•	Cleaner - Specs A through C	•••		-	Spec J
13	140-0459	1	Bracket, Breather Tube -	38	505-0331	2	Nipple, Pipe (1 x 4")
10	140-0455	•	Specs D through H			-	Spec J
14	CARBURET	OR GASC	LINE (See Separate Group	39	155-0916	2	Muffler, Exhaust - Begin
• •			udes Mounting Gasket)				Spec J
	142-0426	1	Key 1 and 2 (Fixed Main Jet	40		VUALICE	SPECS A TUROUSCULU
			With 21/32" Venturi)	40	155-0480	1	- SPECS A THROUGH H
	142-0431	1	Key 3 and 4 (Fixed Main Jet		155-0460	1	Key 1 and 2 Key 3 and 4
			With 3/4" Venturi)	41	800-0028	4	Key 3 and 4 Screw, Cap - Hex Head
15	141-0078	1	Gasket, Carburetor Mounting	41	000-0020	-+	(5/16-18 x 1") - Specs A
16	850-0040	2	Washer, Lock - Spring (1/4")				through H
17	800-0009	2	Screw, Cap - Hex Head	42	154-0360	2	Gasket, Muffler - Specs A
			· (1/4-20 x 1-1/2")	-12	104 0000	-	through H
18	153-0097	1	Rod, Choke	43	502-0395	1	Connector, Fuel Pump Outlet -
19	153-0263	1	Bracket and Clamp, Choke	.0	002 0000	•	Keys 2 and 4 - Begin Spec J
			Rod (Includes 518-0176 Clip)		140-1427	1	Kit, Conversion, Oil Bath to
20	502-03 95	1	Connector, Fuel Line to			•	Dry Type Air Cleaner -
	-		Carburetor - Begin Spec J				Specs A through H
21	503-0301	2	Clamp, Fuel Line - Begin Spec J	44	850-0045	4	Washer, Lock (5/16")
							• • • •










CARBURETOR PARTS








REF.	PART	QTY.	PART				ES-1140
NO.	NO.	USED	DESCRIPTION				
1	PLUG, SPAF	₹К		REF.	PART	QTY.	5457
	167-0241	2	Non-Resistor Type	NO.	NO.	USED	PART
	167-0237	2	Resistor Type		NO.	UJED	DESCRIPTION
2	508-0095	2	Grommet, Spark Plug Cables - Begin Spec G	8	526-0184	2	Washer, Flat (17/64" ID x 5/8" OD x 10 Gauge Thk) -
3	CABLE, SPA	RKPLUG					Begin Spec G
			Right Side	9	815-0259	2	Screw, Cap - Hex Head
			Begin Spec G (Rubber End Cap)				(1/4-20 x 1-1/4") - Begin
	167-1593	1	Non-Resistor Type				Spec G
	167-1595	1	Resistor Type	10	313-0018	1	Switch, Stop
	167-1308	1	Specs A through F	11	160-0257	1	Box Assembly, Breaker (See
			(Eye Type End)				Separate Group for Components)
			Left Side	12	167-01 8 8	4	Clip, Spark Plug Cable -
	167-1593		Begin Spec G (Rubber End Cap)				Begin Spec G
	167-1595		Non-Resistor Type	13	332-0273	1	Clip, Magneto Lead
	167-1395		Resistor Type	14	160-0722	1	Stator Assembly, Magneto
	107-1309	1	Specs A through F				- Specs A through F (Includes
4	160-0752		(Eye Type End)	_			Coil and Pole Shoe)
4	100-0752	1 -	Stator Assembly, Magneto	15	160-0282	1	Coil, Magneto Stator -
			- Begin Spec G (Includes Coil				Specs A through F
5	160-0750	4	and Pole Shoe)	16	160-0281	1	Pole Shoe, Magneto Stator -
5	100-01-00	•	Coil, Magneto Stator - Begin Spec G				Specs A through F
6	160-0749	1	Pole Shoe, Magneto Stator -	17	160-0792	1	Coil, Ignition - Specs A
Ũ	100 0143	•	Begin Spec G			_	through F
7	526-0015	2	Washer, Flat (9/32" ID x	18	334-0028	1	Lead (4 foot piece of wire)
•	020 0010	~		19	508-0002	1	Grommet, Magneto Lead
			9/16" OD x 1/16" Thk) - Begin Spec G	20	160-0043	1	Gasket, Breaker Box Mounting




+ - Parts Included in 166-0535 Ignition Coil.

BREAKER BOX

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
	160-0257	1	Box Assembly, Breaker - Complete (Includes Parts Marked *)
1	160-0930	1	*Cover, Breaker Box
2	160-0150	1	Gasket, Cover
3	160-0002	1	*Point Set
4	160-0428	1	*Strap, Point Set to Terminal
5	160-0349	1	*Terminal and Block Assembly
6	160-0075	1	*Cam Point Adjusting
7	802-0034	2	*Screw, Cap - Socket Head
			(1/4-20 x 3/4")
8	850-0040	2	*Washer, Lock - Spring (1/4")
9	160-0264	1	*Guide, Plunger
10	312-0069	1	*Condenser
11	850-0025	2	*Washer, Lock - Spring (#8)
12	812-0077	2	*Screw, Machine - Round Head (#8-32 x 3/8")
. 13	160-0265	1	*Plunger
14	518-0049	3	*Screw, Machine - Round Head W/ET Washer (#8-32 x 1/4")
15	160-0043	1	Gasket, Breaker Box Mounting
	160-0836	1	Ignition Tune-Up Kit (Includes Points and Condenser)




* - Parts Included in 160-0257 Breaker Box Assembly.



,

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	150-0629	1	Rod, Control - Governor
2	518-0006	1	Clip, Link End
3	870-0053	1	Nut, Hex (#10-32)
4	150-0639	1	Joint, Ball
5	870-0131	2	Nut, Hex With ET Washer (#10-32)
6	150-0040	1	Bracket, Governor Speed Adjusting Stud
7	150-0096	1	Stud, Governor Speed Adjusting
8	150-0098	1	Spring, Governor Speed
9	150-0136	1	Screw, Governor Sensitivity - Spec A through D
10	815-0419	2	Screw, Machine - Hex Head Slotted (#8-32 x 1-1/4")
11	870-0221	2	Nut, Hex With ET (#8-32)

STARTER - KEYS 2 AND 4 (BEGIN SPEC J)



REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	191-1052	1	Motor, Starter - 12 Volt Solenoid Shift (Includes Parts Marked *)
2	850-0050	2	Washer, Lock - Spring (3/8")
3	800-0050	2	Screw, Cap - Hex Head (3/8-16 x 1")
4	191-1076	1	Seal, Air
5	191-0987	1	*Switch Assembly
6	191-0988	2	*Bolt, Through
7	191-1086	1	*Bracket Assembly, Front (Includes Bearing)
8	191-0971	1	*Bearing, Front Bracket
9	191-0991	1	*Stopper Set, Pinion
10	191-1007	3 •	†Spring, Brush
11	191-1008		†Brush, Negative
12	191-1009	1	*Bracket Assembly, Rear (Includes Bearing)


REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
13	191-1087	1	*Clutch Assembly
14	191-1088	1	*Armature
15	191-0997	1	*Washer Set
16	191-1005	2	*Brush, Positive
17	191-1006	1	*Holder Assembly, Brush (Includes Spring and Brush)
18	191-1089	1	*Yoke Assembly (Includes Frame, Pole Shoes, Field Coil and Positive Brushes)
19	191-0963	1	*Lever Assembly
20	191-0984	1	*Spring Set
21	191-1010	1	*Bearing, Rear Bracket Assembly
22	191-1011	1	*Screw Set

* - Parts Included in 191-1052 Starter Motor.

 Fails included in 191-1002 Statist Motor.
 Early brush holder was equipped with two (2) negative brushes and four (4) brush springs. Completely interchangeable with current brush holder. When replacing negative brushes on early models only one (1) required, however two (2) may be used.

;

STARTER - KEYS 2 AND 4 (SPECS A THROUGH H)



800-0049 1 Screw, Cap - Hex Head (3/8-16 x 7/8")

7

* - Included in 191-0511 and 191-0150 Starter Motors.


1

*Key, Woodruff (#6)

515-0094

19

AIR HOUSING



REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	HOUSING, B	LOWER	
			Key 1 and 3
	134-2830	1	Begin Spec J
	134-1579	1	Specs G and H
	134-0569	1	Specs A through F
			Key 2 and 4
	134-2798	1	Begin Spec J
	134-1574	1	Specs G and H
	134-0705	1	Specs A through F
	134-3907	1	Spec J - Sets with Pulse
			Pump
2 3	134-0589	1	Housing, Cylinder Air (Left)
3	HOUSING, C	YLINDER	AIR (Right)
	134-2237	1	Sets with Spin-on Oil Filter
	134-0588	1	Key 1 and 3
			Key 2 and 4
	134-2791	1	Begin Spec J
	134-0674	1	Specs A through H
4	134-0670	1	Baffle, Air - Key 2 and 4 - Specs A through H
5	134-0599	1	Clip. Cylinder Air Housing - Right Side - Specs A through H
6	508-0005	1	Grommet, Rubber - Use with Housing #134-3907 (7/16" ID x 3/4" OD)
7	134-2108	1	Clip, Cylinder Air Housing - Left Side - Specs A through H

SERVICE KITS AND MISCELLANEOUS

CS-1099

PART	QTY.	PART
NO.	USED	DESCRIPTION
NOTE: For o part in quest	ther kits, refer to	o the group for the

98-1100	1	Kit, Decal
168-0095	1	Kit, Gasket - Carbon Removal
168-0103	1	Kit, Gasket - Engine
PAINT, TOUCI	H-UP (Pr	essurized Can)
525-0305	1	Non-Metallic Green (13 oz.)
525-01 37	1	Metallic Green (13 oz.)
420-0169	1	Wrench, Carburetor Adjusting




,

OPTIONAL EQUIPMENT PARTS SECTION


This section contains illustrated parts listing of factory installed options for these Industrial Engines. Options may not be applicable to all models; for field conversions additional parts are usually required. Some parts listed in the standard engine parts section for parts keys 3 and 4 are also applicable as optional parts for parts keys 1 and 2. Optional parts listed in this section are in addition or in place of those shown in the standard engine parts section.

OPTIONAL NUMBER 1 BREAKER BOX (HIGH PROFILE)




REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
	160-1135	1	Box Assembly, (Includes Parts Marked *)
1	160-0931	1	*Guide, Plunger
2	160-0002	1	*Point Set
3	160-0349	1	*Terminal and Block Assembly
4	160-0075	1	*Cam, Point Adjusting
5	160-0428	1	*Strap, Point Set to Terminal
6	160-0150	1	*Gasket, Cover
7	160-0930	1	*Cover, Breaker Box
8	850-0025	2	*Washer, Lock - Spring (#8)
9	812-0077	2	*Screw, Machine - Round Head (#8-32 x 3/8")
10	312-0069	1	*Condenser (.3 Mfd)
11	802-0035	2	*Screw, Socket Head (1/4-20 x 7/8")
12	850-0040	2	*Washer, Lock - Spring (1/4")
13	526-0214	2	*Washer, Flat (17/64" ID x 1/2" OD x 1/16" Thk)
14	BUSHING,	GUIDE	· · · · · · · · · · · · · · · · · · ·
	160-1041	1	*Begin Spec J
	160-0929	1	Spec A through H
15	160-1040	1	*Gasket, Mounting - Begin Spec J
16	160-0043	1	Gasket, Spec A through H
17	160-0723	1	*Plunger, Breaker
18	160-0261	1	*Wick
19	815-0285	3	*Screw, Machine - Round Head W/ET Washer (#8-32 x 5/16")
	160-0836	1	Ignition Tune-Up Kit (Includes Points and Condenser)

* - Parts Included in 160-1135 Breaker Box Assembly.



OPTIONAL NUMBER 2 BREAKER BOX (1-3/4" SPACER)




REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
	160-0258	1	Box and Spacer Assembly - Complete (For replacement order 160-1135 Breaker Box Assembly)
1	160-0267	1	Guide, Plunger
2	160-0075	1	Cam, Point Adjusting
3	160-0349	1	Terminal and Block Assembly
4	160-0428	1	Strap, Point Set to Terminal
	160-0002	1	Point Set
5 6	160-0150	1	Gasket, Cover
7	160-0930	1	Cover
8	850-0025	2	Washer, Lock - Spring (#8)
9	812-0077	2	Screw, Machine - Round Head (#8-32 x 3/8")
10	312-0069	1	Condenser (.3 Mfd.)
11	813-0148	2	Screw, Machine - Round Head (1/4-28 x 1/2")
12	854-0014	2	Washer, Lock - IT (1/4")
13	160-0266	1	Plunger, Breaker Points
14	160-0246	1	Spacer, Breaker Box Mounting
15	160-0043	1	Gasket, Breaker Box and Spacer Mounting
16	802-0035	2	Screw, Cap - Socket Head (1/4-20 x 7/8")
17	850-0040	2	Washer, Lock - Spring (1/4")
18	526-0214	2	Washer, Flat (17/64" ID x 1/2" OD x 1/16" Thk)
19	518-0049	3	Screw, Machine - Round Head W/ET Washer (#8-32 x 1/4")
	160-0836	1	Ignition Tune-Up Kit (Includes Points and Condenser)

OPTIONAL NUMBER 3 BREAKER BOX (4" SPACER)

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	
	160-0642	1	Box and Spacer Assembly - Complete (For replacement order 160-1135 Breaker Box Assembly)	
1	160-0267	1	Guide, Plunger	
2	160-0075	1	Cam, Point Adjusting	
3	160-0349	1	Terminal and Block Assembly	
4	160-0428	1	Strap, Point Set to Terminal	
5	160-0002	1	Point Set	4
6	160-0150	1	Gasket, Cover	
7	160-0930	1	Cover	
8	850-0025	2	Washer, Lock - Spring (#8)	
9	812-0077	2	Screw, Machine - Round Head (#8-32 x 3/8")	
10	312-0069	1	Condenser (.3 Mfd.)	
11	813-0148	2	Screw, Machine - Round Head (1/4-28 x 1/2")	
12	854-0014	2	Washer, Lock - IT (1/4")	
13	160-0723	1	Plunger, Breaker Points	
14	160-0633	1	Spacer, Breaker Box Mounting	
15	160-0043	1	Gasket, Breaker Box and Spacer Mounting	
16	802-0035	2	Screw, Cap - Socket Head (1/4-20 x7/8")	
17	850-0040	2	Washer, Lock - Spring (1/4")	
18	526-0214	2	Washer, Flat (17/64" ID x 1/2" OD x 1/16" Thk)	
19	518-0049	3	Screw, Machine - Round Head W/ET Washer (#6-32 x 1/4")	
	160-0836	1	Ignition Tune-Up Kit (Includes Points and Condenser)	

OPTIONAL NUMBER 4 ALTERNATOR, FLYWHEEL - 20 AMPERE (SYNCRO) - KEYS 2 AND 4 -**BEGIN SPEC J**



REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	134-2642	1	Flywheel (Includes Ring Gear)	11	323-0880	1	Plug, Connector (2 Female
2	134-0673	1	Gear, Ring - Flywheel				Contacts)
3	821-0010	2	Screw, Cap - Hex Head Locking	12	191-0937	1	Stator, Alternator
			(1/4-20 x 1/2")	13	850-0030	3	Washer, Lock - Spring (#10)
4	191-1107	1	Bracket, Regulator and Rectifier Mounting	14	813-0108	3	Screw, Machine - Round Head Cross Recessed
5	815-0181	4	Screw, Cap - Hex Head W/ET				(#10-32 x 1-1/4")
			Lockwasher (#10-32 x 5/16")	15	323-0488	5	Contact, Connecting - Female
6	191-0938	1	Rectifier, Current	16	323-0496	5	Contact, Connecting - Male
7	191-0939	1	Regulator, Voltage	17	167-0188	2	Clip, Stator Leads
8	323-0882	1	Plug, Connector (3 Female Contacts)			-	
9	323-0881	1	Cap, Connector (3 Male Contacts)				
10	323-0879	1	Cap, Connector (2 Male Contacts)				

OPTIONAL NUMBER 5 ALTERNATOR, FLYWHEEL (WICO) - KEYS 2 AND 4 (SPECS A THROUGH H)

		and the second s	21 9		-		19 10 12
	2 Bit Constanting						ES-1147
REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF NO		QTY. USED	PART DESCRIPTION
1	134-1895	1	Flywheel (Includes Ring Gear)	11	191-0724	1	Stator Unly
2	134-0673	1	Gear, Ring - Flywheel	12	332-0529		*Terminal, Faston - Male
3	191-0740	1	Stator Assembly - Includes	13	812-0156	6	Screw, Machine - Round Head
-	· · · · · ·		Parts Marked *)				(1/4-20 x 1-1/2")
4	191-0400	1	Rotor	14	850-0040	9	Washer, Lock - Spring (1/4")
5	305-0478	1	Regulator - Rectifier Assembly	15	800-006	3	Screw, Cap - Hex Head
6	321-0165	1	*Holder Assembly, Fuse				(1/4-20 x 7/8")
7	321-0162	1	*Fuse - 30 Amp.	16	332-1358	1	Bracket, Connector Mounting
8	323-0759	1	*Connector, Socket Housing	17	813-0108	3	Screw, Machine - Round Head
9	323-0488	4	*Socket, Connector	18	850-0030	•	(#10-32 x 1/2")
10	332-0556	1	*Connector, Faston	18	321-0169	3	Washer, Lock - Spring (#10)
				20	103-0332	1	Clip, Fuse Holder Case Assembly, Gear -
				20		•	Drilled and Tapped for Stator (See standard gear

* - Parts Included in 191-0740 Stator Assembly.


1

21 167-0188


Stator (See standard gear case group for components)


Clip, Stator Leads


OPTIONAL NUMBER 6 ALTERNATOR, FLYWHEEL - 15 AMPERE (PHELON) - KEYS 2 AND 4 -**BEGIN SPEC J**



REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	815-0593	3	Screw, Machine - Hex Head (#10-32 x 1-3/8")
3	191-1256	1	Stator Assembly, Alternator (Includes Parts Marked *)
	191-1254	1	*Stator, Alternator
4	821-0018	2	Screw, Cap - Hex Head - Self Locking (1/4-20 x 5/8")
5	191-0886	1	Regulator, Voltage
6	821-0012	2	Screw, Cap - Hex Head - Self Locking (1/4-20 x 1-1/8")
7	191-1107	1	Bracket, Regulator Mounting
8	134-2100	2	Spacer, Regulator Mounting
9	FLYWHEEL (Includes R	ling Gear)
	134-2621	1	Engines With Rope Sheave or Machined PTO
	134-3019	1	Engines Without Rope Sheave







ES-1148

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
10	134-0673	1	Gear, Ring - Flywheel
11	332-2073	3	*Terminal, Wire - Stator Leads
12	323-0853	1	*Body, Terminal Connector
13	167-0188	2	Clip, Stator Leads
14	323-1075	1	*Body, Terminal Connector - Optional
15	323-1085	1	*Body, Terminal Connector - Optional
16	323-0892	1	*Body, Terminal Connector - Optional
17	323-0890	1	*Body, Terminal Connector - Optional


* - Parts Included in 191-1256 Alternator Stator Assembly.

OPTIONAL NUMBER 7 ALTERNATOR (AUTOMOTIVE TYPE - RIGHT SIDE MOUNTED)

	I HIN		$ \begin{array}{c} $
REF. NO.	PART NO.	QTY. PART USED DESCRIPTION	
NU. 1	NO. 191-1232	USED DESCRIPTION 1 *Alternator Assembly	REF. PART QTY. PART NO. NO. USED DESCRIPTION
		(Includes Parts Marked †)	8 191-0671 1 Diode Assembly, Isolation
		(35 Ampere, 12 Volt) Motorola #12N37-1	(Part of 191-1233 Alternator) 9 191-0662 1 Diode Assembly, Rectifier -
	191-1233	1 †Alternator, 35 Ampere	Negative (Part of 191-1233
2	191-1243	1	Alternator)
3	191-0623	1 †Pulley, Alternator	10 191-0661 1 Diode Assembly, Rectifier -
4	191-0575	1 Bracket, Alternator and Starter Mounting	Positive (Part of 191-1233 Alternator)
5	191-0576	1 Bracket, Alternator Adjusting	
6	511-0076	1 Belt, Drive	* - For components not listed, check alternator nameplate and
7	191-0659	1 Brush and Holder (Part of 191-1233 Alternator)	contact your nearest Motorola dealer. † - Parts Included in 191-1232 Alternator Assembly.
			24


OPTIONAL NUMBER 8 ALTERNATOR (AUTOMOTIVE TYPE - LEFT SIDE MOUNTED)

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	191-1232	1	*Alternator Assembly (35 Ampere, 12 Volt) Motorola #12N37-1 (Includes Parts Marked †)
	191-1233	1	†Alternator, 35 Ampere
2	191-1243	1	†*Regulator, Voltage
2 3	191-0623	1	†Pulley, Alternator
4	BRACKET,	ALTERNA	TOR MOUNTING
	191-0537	1	Pressure Cooled Engine
	191-0539	1	Vacu-Flo Cooled Engine
5	191-0535	1	Bracket, Alternator Adjusting
6	511-0051	1	Belt, Drive
7	191-0134	1	Pulley, Drive - Vacu-Flo Cooled Engine
8	191-0659	1	Brush and Holder Assembly (Part of 191-1233 Alternator)
9	191-0671	1	Diode Assembly, Isolation (Part of 191-1233 Alternator)
10	191-0662	1	Diode Assembly, Rectifier - Negative (Part of 191-1233 Alternator)
11	191-0661	1	Diode Assembly, Rectifier - Positive (Part of 191-1233 Alternator)



* - For components not listed, check alternator nameplate and contact your nearest Motorola dealer. † - Parts Included in 191-1232 Alternator Assembly.


OPTIONAL NUMBER 9 ALTERNATOR (AUTOMOTIVE TYPE - TOP MOUNTED)



REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	191-0543	1	*Alternator (35 Ampere,
			12 Volt) - Motorola
			#A12N-451
2	191-0642	1	*Regulator, Voltage
2 3	191-0623	1	Pulley, Alternator
4	191-0636	1	Bracket, Alternator Mounting
5		LTERNA	TOR ADJUSTING
	191-1168	1	Pressure Cooled Engines -
			Begin Serial Number
			992673 During Spec J
	191-0637	1	Pressure Cooled Engines -
			Spec A through Serial Number
			992673 During Spec J
	191-0637	1	Vacu-Flo Cooled Engines
6	BELT, DRIVI	E	
	511-0090	1	Pressure Cooled Engines -
			Begin Serial Number
			992673 During Spec J
	511-0067	1	Pressure Cooled Engines -
			Spec A through Serial Number
			992673 During Spec J
	511-0067	1	Vacu-Flo Cooled Engines
7	191-0640	1	Spacer, Alternator Bracket
8	191-0638	1	Bracket, Regulator Mounting
9	191-0659	1	Brush and Holder Assembly
			(Part of 191-0543 Alternator)
10	191-0663	1	Diode Assembly, Isolation
			(Part of 191-0543 Alternator)
11	191-0662	1	Diode Assembly, Rectifier - Negative (Part of 191-0543 Alternator)
12	191-0661	1	Diode Assembly, Rectifier - Positive (Part of 191-0543 Alternator)
13	191-0725	1	Guard, Belt
	_		 .

* - For Components not listed, check alternator nameplate and contact your nearest Motorola dealer.

OPTIONAL NUMBER 10 GENERATOR (AUTOMOTIVE TYPE - 6 VOLT)




REF.


NO.

PART

NO. 1 GENERATOR, 6 VOLT










PART

DESCRIPTION

QTY.

USED



REF. NO.		QTY. USED	PART DESCRIPTION
10	191-0242	1	Band, Generator Mounting - Spec E
11	191-0157	1	Band, Generator Mounting - Spec A through D
12	191-0134	1	Pulley, Generator Drive - Vacu-Flo Cooled Engine
13	BRACE, GEN COOLED ENG		MOUNTING BRACKET - VACU-FLO
	191-0305	1.	Begin Spec F
	191-0158	1	Specs A through D
14	302-1361	1	Ammeter, Specs A through E (Includes Mounting Clamp)
15	321-0094	1	Fuse (5 Ampere) - Spec A through E
16	191-0309	1	+Regulator, Voltage - Begin Spec F
17	191-0382	1	*Regulator, Voltage - Specs A through E


† - For components check nameplate and contact your nearest Delco-Remy dealer.

- For components check nameplate and contact your nearest Prestolite dealer.


	191-0308	1	†Begin Spec F (Includes
			Pulley, Excludes Regulator) -
			Delco Remy # 1100055
	191-0199	1	*Specs A through E (Includes
			Regulator, Excludes Pulley) -
			Prestolite # GAS-4175
2	191-0162	1	Pulley, Generator - Specs
			A through E
3	515-0105	1	Key, Pulley - Specs A
			through E
4	511-0051	1	Belt, Drive
5	BRACKET, G	BENERAT	ORMOUNTING
			Begin Spec F
	191-0279	1	Pressure Cooled Engine
	191-0304	1	Vacu-Flo Cooled Engine
			Spec E
	191-0240	1	Pressure Cooled Engine
	191-0241	1	Vacu-Flo Cooled Engine
6	BRACKET, C	ENERAT	OR MOUNTING - SPECS A THROUGH D
	191-0155	1	Pressure Cooled Engine
	191-0172	1	Vacu-Flo Cooled Engine
7	191-0280	1	Bracket, Adjusting - Begin Spec F
8	191-0239	1	Bracket, Adjusting - Spec E
9	101_0156	1	Bracket Adjusting - Specs

191-0156 1 Bracket, Adjusting - Specs A through D


OPTIONAL NUMBER 11 GENERATOR (AUTOMOTIVE TYPE - 12 VOLT)




16










ES-1150

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	GENERATOR	12 VOL	T	8	191-0239	1	Bracket, Adjusting - Spec E
	191-0813	1	†Begin Spec F (Excludes Pulley, Excludes Regulator)-	9	191-0156	1	Bracket, Adjusting - Specs A through D
	191-0159	1	Delco Remy #1100337 *Specs A through E (Includes	10	191-0242	1	Band, Generator Mounting - Spec E
			Regulator, Excludes Pulley) - Prestolite #GDY-4107	11	191-0157	1	Band, Generator Mounting - Spec A through D
2	PULLEY, GEI	NERATO	R	12	191-0134	1	Pulley, Generator Drive -
	191-0229	1	Begin Spec F				Vacu-Flo Cooled Engine
			(No Longer Available,	13			R MOUNTING BRACKET -
			customer use off old		VACU-FLO	COOLED	ENGINE
			Generator Assembly)		191-0305	1	Begin Spec F
	191-0164	1	Specs A through E		191-0158	1	Specs A through D
3	515-0105	1	Key, Pulley - Specs A through E	14	302-1360	1	Ammeter, Specs A through E (10 Ampere) - (Includes
4	511-0051	1	Belt, Drive				Mounting Clamp)
5	BRACKET, G	ENERA	FOR MOUNTING Begin Spec F	15	321-0094	1	Fuse (5 Ampere) - Spec A through E
	191-0279	1	Pressure Cooled Engine	16	191-0386	1	†Regulator, Voltage - Begin
	191-0304	1	Vacu-Flo Cooled Engine				Spec F
			Spec E	17	191-0278	1	*Regulator, Voltage - Specs A
	191-0240	1	Pressure Cooled Engine				through E
	191-0241	1	Vacu-Flo Cooled Engine				
6	BRACKET, G	ENERA	FOR MOUNTING - SPECS A THROUGH	H D † - Fo	r component	s check na	meplate and contact your nearest
	191-0155	1	Pressure Cooled Engine	De	Ico-Remy de	aler.	
	1 9 1-0172	1	Vacu-Flo Cooled Engine	* - Fo	r component	s check na	meplate and contact your nearest
7	191-0280	1	Bracket, Adjusting - Begin Spec F	Pre	estolite deale	r.	

OPTIONAL NUMBER 12 STARTER (GEAR ENGAGING - 6 VOLT) - KEYS 2 AND 4 -SPECS A THROUGH H




REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	MOTOR, ST	ARTER (I	NCLUDES PARTS MARKED *)
	191-0526	1	Specs G and H
	191-0198	1	Spec A through F
2	332-0570	1	Jumper, Starter Motor to
			Switch
3	308-0028	1	Switch, Start
4	307-1046	1	Solenoid, Start
5	FLANGE, S	TARTER N	NOTOR MOUNTING
	191-0508	1	Specs G and H
	191-0129	1	Specs A through F
6	850-0050	3	Washer, Lock - Spring (3/8")
7	102-0455	3	Screw, Cap - Hex Head
			(Special)
8	(P) 16-47	. 1	*Armature
9	(P) 20-42	1	*Coil Assembly, Field

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
10	(P) 17-33	1	*Brush Set
11	(P) 19-28	1	*Head Assembly, Commutator End
12	191-1022	1	*Stud, Terminal (Package)
13	191-1019	1	*Bearing Assembly, Intermediate
14	191-0271	1	*Drive Assembly
15	191-1021	1	*Washer, Armature Thrust (Package)
16	191-0735	1	*Bearing, Drive End
17	191-1020	1	*Spring, Brush (Set of 4)
18	515 -0094	1	*Key, Woodruff (#6)

 Included in 191-0526 and 191-0198 Starter Motors.
 NOTE: Order Prestolite Parts (P) from your nearest Prestolite Dealer, giving part number, full description and Starter Motor number.

OPTIONAL NUMBER 13 STARTER (SOLENOID SHIFT - 12 VOLT) - KEYS 2 AND 4 -SPECS A THROUGH H



QTY. REF. PART PART USED DESCRIPTION NO. NO. Motor, Starter (Includes Parts 1 191-0790 1 Marked *) 2 191-0508 1 Flange, Starter Motor Washer, Lock - Spring (3/8") Screw, Cap - Hex Head 3 850-0050 2 800-0049 4 1 (3/8-16 x 7/8") 5 800-0050 Screw, Cap - Hex Head 1 (3/8-16 x 1") 6 850-0050 2 Washer, Lock - Spring (3/8") 2 102-0455 Screw, Cap - Hex Head 7 (Special) 8 134-2131 1 Baffle, Air 191-0806 *Yoke Assembly (Frame) -9 1 Includes Parts Marked △ 10 191-0743 *Armature 1 191-0744 *Clutch 11 1 12 191-0745 1 *Stop, Pinion 191-0746 *Ring 13 1 *Washer, Plain 191-0806 14 1

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
15	191-0808	1	£*Bracket Assembly, Front
16	191-0749	1	*Lever Assembly
17	191-0750	1	*Spring, Lever
18	191-0751	1	*Spring, Lever
19	191-0752	1	*Holder, Spring
20	191-0809	1	£*Bracket Assembly, Rear
21	191-0754	1	*Washer, Plain
22	191-0755	1	*Washer, Plain
23	191-0756	1	*Washer, Insulation
24	191-0757	4	∆*Brush
25	191-0758	1	*Spring, Brush
26	191-0759	2	*Bolt, Through
27	191-0760	3	*Screw, Machine
28	191-0761	1	*Switch Assembly, Solenoid
29	191-0762	1	*∆Coil Assembly, Field
30	191-0763	1	*Bearing, Front
31	191-0764	1	*Bearing, Rear
32	191-0765	4	*∆Pole Shoe
33	191-0766	4	*∆Screw

15

ES-1152


* - Included in 191-0790 Starter Motor.

△ - Included in 191-0806 Yoke Assembly.


£ - No Longer Available - Replace with 191-0790 Starter.

OPTIONAL NUMBER 14 FUEL SYSTEM (GAS-GASOLINE - ENSIGN REGULATOR)

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION				
1	148-0428	1	Regulator, Gas Pressure				
2	505-0021	1	Bushing, Regulator Outlet				
3	501-0025	1	Line, Fuel - Regulator to Carburetor				
4	503-0027	1	Clamp, Hose				
5	148-0147	1	Pipe, Carburetor Inlet				
6	CARBURETOR (Gas-Gasoline) (Includes Mounting						
	Gasket See Separate Group For Components)						
	142-0367	1	Key 1 and 2				
	142-0436	1	Key 3 and 4				
	KIT, REPAIR - REGULATOR						
	148-0300	1	For Ensign Model F				
	148-0522	1	For Ensign Model F1				




OPTIONAL NUMBER 15 FUEL SYSTEM (GAS-GASOLINE - GARRETSON REGULATOR)




REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION			
1	503-0032	2	Clamp, Hose			
2	148-0147	1	Pipe, Fuel - Carburetor Inlet			
3			GASOLINE) (Includes Mounting			
5			Group For Components)			
	142-0367	1	Key 1 and 2			
	142-0436	1	Key 3 and 4			
4	503-0315	1	Hose, Fuel (1/2" ID x 2 Ft)			
5	505-0302	1	Nipple, Half			
ő	505-0038	1	Elbow, Pipe			
7	505-0099	1	Nipple, Pipe			
8	505-0017	1	Bushing, Regulator Outlet			
9	148-0311	1	Regulator, Gas Pressure			
-	148-0107	1	Vent, Regulator			
11	505-0057	1	Plug, Regulator			
••	148-0390	1	Kit, Repair - Garretson			
		•	Regulator			

OPTIONAL NUMBER 16 FUEL SYSTEM (GAS - ENSIGN REGULATOR)

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	148-0428	1	Regulator, Gas Pressure
2	505-0021	1	Bushing, Regulator Outlet
3	501-0025	1	Line, Fuel - Regulator to
			Carburetor
4	503-0027	1	Clamp, Hose
5	148-0147	1	Pipe, Carburetor Inlet
6	CARBURET	OR (GAS (ONLY) (Includes Mounting
	Gasket) (See	e Separate	Group For Components)
	142-0372	1	Keys 1 and 2
	142-0472	1	Keys 3 and 4
	KIT, REPAIR	- REGUL	ATÓR
	148-0300	1	For Ensign Model F
	148-0522	1	For Ensign Model F1
7	149-0136	1	Plate, Fuel Pump Hole Cover




OPTIONAL NUMBER 17 FUEL SYSTEM (GAS - GARRETSON REGULATOR)



REF. NO.	PART NO.	QTY.	PART				
NO.	NU.	USED	DESCRIPTION				
1	503-0032	2	Clamp, Hose				
2	148-0147	1	Pipe, Fuel - Carburetor Inlet				
3	CARBURET	OR (GAS (ONLY) (Includes Mounting				
	Gasket See	Separate G	Group For Components)				
	142-0372	1	Keys 1 and 2				
	142-0472	1	Keys 3 and 4				
4	503-0315	1	Hose, Fuel (1/2" ID x 2 FT)				
5	505-0302	1	Nipple, Half				
6	505-0038	1	Elbow, Pipe				
7	505-0099	1	Nipple, Pipe				
8	505-0017	1	Bushing, Regulator Outlet				
9	148-0311	1	Regulator, Gas Pressure				
10	148-0107	1	Vent, Regulator				
11	505-0057	1	Plug, Regulator				
	148-0390	1	Kit, Repair - Garretson Regulator				
12	149-0136	1	Plate, Fuel Pump Hole Cover				


OPTIONAL NUMBER 18 CARBURETOR PARTS (GAS-GASOLINE)

REF.	PART	QTY.	PART
NO.	NO.	USED	DESCRIPTION
	CARBURETO	R, COM	PLETE (Includes Mounting Gasket)
	142-0367	1	Key 1 and 2
	142-0436	1	Key 3 and 4
	KIT, REPAIR		
	142-0371	1	Kit, Repair (Includes Parts Marked †)
	142-0033	1	<pre>+Kit, Gasket (Includes Parts Marked *)</pre>
1	SCREW, MACI	HINE - P	FILLISTER HEAD
•	815-0103	1	#10-24 x 1/2"
	815-0109	2	#10-24 x 5/8″
2	142-0055	1	Fly, Choke
3	815-0091	2	†Screw, Machine - Fillister Head
			(#4-40 x 3/16″)
4	SHAFT ASSEN		
	142-0217	1	Key 1 and 2
_	142-0420	1	Key 3 and 4
5	505-0008	1	Plug, Pipe (1/8")
6			CHOKE (Cover)
	142-0205	1	Sleeve Assembly, Choke (Cover)
7	142-0039	1	†Shaft, Float
8	142-0031	1	*Gasket, Body to Sleeve
9	148-0017	2	*Gasket
10	142-0049	1	†Valve and Seat Assembly
11	142-0361	1	Float and Lever
12	142-0285	1	Nozzle
13	142-0032		+Gasket, Nozzle
14		1	Body Assembly (Not Sold
			Separately)
15	142-0369	1	Fly, Throttle
16	142-0343	2 2	Bushing, Throttle Shaft
17	815-0072	2	Screw, Machine - Oval Head
18	142-0368	1	(#4-40 x 3/16") †Shaft, Throttle
19	NUT AND JET		
	142-0370	1	†Nut and Jet, Nozzle
20	142-0042	1	Needle Assembly (Includes Parts
20		•	Marked Δ)
21	142-0046	1	△Retainer, Main Adjusting
22	142-0206	1.	Needle †∆Packing, Main Adjusting
22	142-0200	1	Needle
23	142-0045	1	∆Retainer, Main Adjusting
			Needle Packing
24	142-0041	1 .	†∆Needle, Main Adjusting
25	516-0027	1	△Pin, Main Adjusting Needle
26	142-0040	2	†Needle, Idle Adjusting
27	142-0282	2	Spring, Idle Adjusting Needle
28	813-0103	1	Screw, Machine - Round Head
			(#10-32 × 3/4")
29	870-0053	1	Nut, Hex (#10-32)
30	812-0063	1	Screw, Machine - Round Head
31	142-0035	1	(#6-32 x 1/2") Spring, Throttle Stop
01		,	Adjusting Screw
32	145-0008	1	Lever, Throttle Stop
33	502-0034	1	Elbow, Idle Line to Adapter
34	149-0030	1	Line, Idle
35	502-0074	1	Elbow, Adapter
36	509-0091	1	Gasket, Adapter Mounting
37	148-0126	1	Adapter, Gas
38	148-0131	1	Screw, Adapter Adjusting
39	148-0010	1	Spring, Adapter Adjusting Screw
40	148-0038	1	Nut, Hex - Float Lock (Used
			only on early models with
A 4	140 0105	1	metal float)
41	148-0135	1	Lock Assembly, Float (Used only on early models with
			metal float)
42	148-0017	1	*Gasket, Float Lock (Used
76	140.0017	•	only on early models with
			metal float)



† - Parts Included in 142-0371 Repair Kit. * - Parts Included in 142-0033 Gasket Kit. △ - Parts Included in 142-0042 Needle Assembly.

OPTIONAL NUMBER 19 CARBURETOR PARTS (GAS)



REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
	CARBURE1	FOR, COM	PLETE (Includes Mounting Gasket)	13	815-0072	2	Screw, Machine - Oval Head
	142-0372	1	Key 1 and 2				(#4-40 x 1/4")
	142-0472	1	Key 3 and 4	14	142-0369	1	Fly, Throttle
	142-0033	1	Kit, Gasket (Includes Parts	15	148-0017	1	*Gasket, Plug
			Marked *)	16	142-0015	1	Plug, Body
1	813-0103	1	Screw, Machine - Round Head	17	502-0034	1	Elbow, Idle Line to Adapter
			(#10-32 x 3/4″)	18	149-0030	1	Line, Idle
2	145-0008	1	Lever, Idle Stop - Throttle	19	502-0074	1	Elbow, Adapter
3	142-0035	1	Spring, Throttle Stop	20	509-0091	1	Gasket, Adapter Mounting
			Adjusting Screw	21	142-0040	1	Needle, Idle Adjusting
4	812-0063	1	Screw, Machine - Round	22	142-0282	1	Spring, Idle Adjustng Needle
			Head (#6-32 x 1/2")	23	148-0126	1	Adapter, Carburetor
5	870-0053	1	Nut, Hex (#10-32)	24	148-0131	1	Screw, Adapter Adjusting
6		CHINE - I	FILLISTER HEAD	25	148-0010	1	Spring, Adapter Adjusting Screw
	815-0103	1	#10-24 x 1/2"	26	812-0088	1	Screw, Round Head Machine
	815-0109	2	#10-24 x 5/8"				(#8-32 x 1-3/4")
7	505-0008	1	Plug, Pipe (1/8")	27	812-0125	1	Screw, Round Head Machine
8	142-0205	1	Cover, Carburetor				(#12-24 x 1/2")
9	142-0031	1	*Gasket, Cover to Body	28	141-0078	1	*Gasket, Carburetor Mounting
10		1	Body, Carburetor (Not Sold	29	850-0038	1	Washer, Lock - Spring (1/4")
			Separately)	30	850-0030	1	Washer, Lock - Spring (#10)
11	142-0343	2	Bushing, Throttle Shaft	31	517-0010	2	Plug, Welsh - Brass (1/4")
12	142-0368	1	Shaft Assembly, Throttle	- Parts Included in 142-0033 Gasket Kit.			

OPTIONAL NUMBER 20 CARBURETOR PARTS (GASOLINE WITH ADJUSTABLE MAIN JETS)

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
	142-0416	1	Carburetor Complete (Includes
	142-0371	1	Mounting Gasket - 3/4" Venturi) Kit, Repair (Includes Parts
	142-0033	1	Marked †) †Kit, Gasket (Includes Parts
			Marked *)
1	SCREW, FI		
	815-0103	1	#10-24 x 1/2"
	815-0109	2	#10-24 x 5/8"
2	815-0091	2	†Screw, Fillister Head with IT Washer (#4-40 x 3/16")
3	142-0055	1	Fly, Choke
4	142-0205	1	Sleeve, Choke (Cover)
5	142-0420	1	Shaft, Choke
6	142-0039	1	†Shaft, Float
7	142-0031	1	*Gasket, Body
8	GASKET		• •
•	148-0017	1	*Float Valve Seat
	148-0017	1	*Needle Assembly
9	142-0049	1	†Valve and Seat Assembly
10	142-0032	1	*Gasket, Nozzle
11	142-0285	1	Nozzle Assembly
12	142-0203	1	Float and Lever Assembly
13	145-0008	1	Lever, Idle Stop - Throttle
			†Needle, Idle Adjusting
14	142-0040	1	
15	142-0282	1	Spring, Idle Needle
16	142-0035	1	Spring, Throttle Stop
17	812-0063	1	<pre>†Screw, Machine - Round Head (#6-32 x 1/2")</pre>
18	815-0072	2	+Screw, Oval-Head Machine (#4-40 x 1/4")
19	142-0369	1	Fly, Throttle
20	142-0368	1	†Shaft, Throttle
21	142-0370	1	Nut and Jet, Nozzle
22	505-0008	1	Plug, Inlet
23	142-0343	2	Bushing, Throttle Shaft
24	870-0053	1	Nut, Hex (#10-32)
25	813-0103	1	Screw, Machine - Round Head (#10-32 x 3/4")
26		1	Body Assembly, Lower (Not Sold Separately)
27	142-0042	1	Needle Assembly (Includes Parts Marked ∆)
28	142-0046	1	∆Retainer, Main Adjusting Needle
29	142-0206	1	ƠPacking, Main Adjusting Needle
30	142-0045	1	∆Retainer, Main Adjusting Needle Packing
31	142-0041	1	ƠNeedle, Main Adjusting
32	516-0027	1	△Pin, Main Adjusting Needle
33	142-0227	1	Pin, Choke Stop
34	141-0078	1	*Gasket, Carburetor Mounting
- ·			


34

0

† - Parts Included in Repair Kit. Parts with \triangle symbol are included in 142-0371 kit only.

Parts Included in 142-0033 Gasket Kit.
 △ - Parts Included in 142-0042 Needle Assembly.

OPTIONAL NUMBER 21 FUEL TANK (SIDE MOUNTED)



REF. NO.	PART NO.	QTY. USED		REF. NO.	PART NO.	QTY. USEI	
	159-0984 159-0597	1 1	Kit, Fuel Tank with Gauge (Includes Parts Marked *) Kit, Fuel Tank Without Gauge (Includes Parts	7 8 9 10	504-0013 505-0057 502-0020 813-0108	1 1 1 2	†°Valve, Shut-off †°Plug, Tank Drain †°Elbow, Carburetor Inlet †°Screw, Machine - Round Head
1 2 3 4 5 6	159-0981 159-0596 159-0595 134-0599 501-0008 193-0207	1 2 1 1 1	Marked †) †*Tank, Fuel (Less Cap) †*Strap, Fuel Tank †*Bracket, Fuel Tank †*Clip, Fuel Line †*Line, Fuel *Cap and Gauge, Fuel Tank (For 2-5/16" Filler Neck) - Late Models				(#10-32 x 1-1/2") †*Nut, Hex (#10-32) †Cap, Fuel Tank (For 2-5/16" Filler Neck) - Late Models Cap, Fuel Tank (For 1-3/4" Filler Neck) - Early Models Fuel Tank Kit. Fuel Tank Kit.

OPTIONAL NUMBER 22 RESERVOIR (DAY) TANK - ONE QUART

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	
	159-0591	1	Kit, Tank (Includes all parts in this group)	
1	159-0041	1	Cap, Vent	
2	415-0055	1	Bracket, Vent Cap	
3	505-0028	1	Coupling, Pipe	
4	505-0016	1	Bushing, Reducer (3/8 to 1/8")	¥-
5	502-0116	1	Connector, Compression	Ĭ
6	159-0345	1	Tubing, Copper (5/16 x 12")	المراسي
7	502-0024	1	Elbow, Compression (90°)	
8	159-0294	1	Tank, Reservoir	
9	159-0556	1	Band, Reservoir Tank	
10	15 9-061 2	1.	Bracket, Reservoir Tank Mounting	18 00
11	502-0020	1	Elbow, Street (90°)	
12	501-0005	1	Line, Fuel - to Fuel Pump (18")	10
13	504 -008 6	1	Valve, Shut-off	
14	501 -00 07	1	Line, Fuel - to Carburetor (24")	
15	505-0057	1	Plug, Tank Drain	
16	812-0156	1	Screw, Machine - Round Head (1/4-20 x 1-1/2")	
17	850-0040	1	Washer, Lock - Spring (1/4")	ΠIΠ
18	861-0011	1	Nut, Square (1/4-20)	


FS-1231

12

4

11

OPTIONAL NUMBER 23 RESERVOIR (DAY) TANK - TWO QUART



REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
	159-0942	1	Kit, Tank (Includes all parts in this group)
1	159-0041	1	Cap, Vent
2	415-0055	1	Bracket, Vent Cap
3	505-0028	1	Coupling, Pipe
4	505-0016	1	Bushing, Reducer (3/8 to 1/8")
5	502-0116	1	Connector, Compression
6	159-0345	1	Tubing, Copper (5/16 x 12")
7	502-0024	1	Elbow, Compression (90°)
8	159-0746	1	Tank, Reservoir
9	159-0936	1	Band, Reservoir Tank
10	159-0612	1	Bracket, Reservoir Tank Mounting
11	502-0020	1	Elbow, Street (90°)
12	501-0005	1	Line, Fuel - to Fuel Pump (18")
13	504-0086	1	Valve, Shut-off
14	501-0007	1	Line, Fuel - to Carburetor (24")
15	505-0057	1	Plug, Tank Drain
16	812-0156	1	Screw, Machine - Round Head (1/4-20 x 1-1/2")
17	850-0040	1	Washer, Lock - Spring (1/4")
18	861-0011	1	Nut, Square (1/4-20)

-1 ļ, -2 - 3 - 4

-5

6


9---15

8

13

Ą

OPTIONAL NUMBER 24 FUEL FILTER



REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	149-0079	1	Bowl Assembly, Sediment - Complete (Includes Parts Marked *)
2	149-0150	1	*Bowl Only
3	149-0149	1	*Gasket, Bowl Mounting
4	149-0202	1	*Screen

* - Parts Included in 149-0079 Sediment Bowl Assembly.

OPTIONAL NUMBER 25 RECTANGULAR AIR CLEANER AND BREATHER


REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	140-0403	1	Kit, Cup and Screen (Part of 140-0399 Air Cleaner)
2	140-0068	1	Screen, Air Cleaner (Part of 140-0399 Air Cleaner)
3	503-0107	1	Clamp, Hose
4	145-0080	1	Inlet, Carburetor Air
5	503-0280	3	Clamp, Hose
6	140-0211	1	Sleeve, Air Cleaner Hose
7	503-0480	1	Hose, Air Inlet (3/4" ID x 8-1/4")
8	140-0399	1	Cleaner, Air
9	123-0129	1	Tube, Breather
10	123-0104	1	Valve, Breather
11	123-0293	1	Cap, Breather Tube


FS-1233

OPTIONAL NUMBER 26 GOVERNOR CONTROL - VARIABLE SPEED (152-0147)


REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
	152-0147	1	Bracket and Control Arm Assembly Complete (Includes Parts Marked*)
1	152-0152	1	*Plate, Adjusting
2	152-0145	1	*Lever, Adjusting
3	870-0065	1	*Nut, Self Locking (1/4-20)
4	150-1012	1	*Spring, Throttle Lever
5	152-0041	2	*Washer, Tension
6	152-0153	1	*Stiffener, Control Bracket
7	812-0077	2	*Screw, Machine - Round Head (#8-32 x 3/8")
8	853-0005	2	*Washer, Lock - ET (#8)
9	860-0008	2	*Nut, Machine - Hex (#8-32)
10	150-1009	1	Stud, Speed Adjusting
11	870-0200	1	Nut, Machine - Hex With ET (#10-32)
12	152-0144	1	Adapter, Throttle Stop
13	152-0146	1	*Bracket, Mounting


* - Parts Included in 152-0147 Bracket and Control Assembly.





OPTIONAL NUMBER 27 GOVERNOR CONTROL - VARIABLE SPEED (152-0085)






REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
	152-0085	1	Bracket and Control Arm Assembly Variable Speed - Complete (Includes Parts Marked *)
1	800-0005	1	*Screw, Cap - Hex Head (1/4-20 x 3/4")
2	526-0015	2	Washer, Flat (9.32 HD + 9.16" ()D + 1/16" Thk)
3	152-0083	1	Lever, Control
4	815-0199	2	*Screw, Machine - ⊢illister Head (#10-32 x 5/16")
5	152-0086	1	*Bracket, Mounting
6	870-0131	2	*Nut, Hex with ET Lock Washer (#10-32)
8	152 -0 041	1	*Washer, Tension
9	870-0065	1	*Nut, Hex - Self Locking (1/4-20)
10	152-0090	1	Stud, Speed Adjusting
11	150-0621	1	Nut, Special - Speed Adjusting Stud
12	821-0008	2	Screw, Cap - Hex Head Locking (1/4-20 x 5/16")
13	150-1000	1	Extension, Governor Arm
14	815-0181	1	Screw, Cap - Hex Head with ET Lock Washer (#10-32 x 1/2")

- Parts Included in 152-0085 Bracket and Control Arm Assembly.

38




- 1
 - Switch, Start-Run-Stop (Toggle)

29


308-0140

OPTIONAL NUMBER 29 REDUCTION GEARBOX (3.3:1)



REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	1 REDUCTION GEAR ASSEMBLY			14	800-0007	4	Screw, Cap - Hex Head (1/4-20 x 1")
	190-0444	1	Mounted Left Side Horizontal	15	515-0159	1	Key, Driven Gear
	190-0440	1	Mounted Right Side	16	518-0013	1	Ring, Retainer
			Horizontal	17	190-0202	1	Spacer, Bearing
2	190-0050	1	Housing - Includes Cover (Also	18	190-0192	1	Shaft, Take-Off
-		•	Order 2 #516-0012 Pins)	19	515-0103	1	Key, Take-Off Shaft
3	516-0012	2	Pin, Dowel	20	510-0023	1	Cone, Roller Bearing
4	190-0020	1	Gasket, Housing to Engine	21	510-0024	1	Cup, Roller Bearing
5	190-0021		Gasket, Cover to Housing	22	850-0045	12	Washer, Lock - Spring (5/16")
6	190-0016	1	Plate, Bearing Retainer	23	505-0054	3	Plug, Pipe (1/4)
7	190-0115	1	Shim Set, End Play Adjustment	24	190-0306	- 2	Gasket, Bearing Plate to Housing
8	509-0016	1	Seal, Oil	25	800-0028	16	Screw, Cap - Hex Head (5/16-18 x 1")
9	190-0195	1	Washer, Pinion Gear	26	506 0060		
10	515-0142	1	Key, Pinion Gear	20	526-0063	4	Washer, Flat - Copper
11	190-0447	1	Gear, Set (Pinion and Driven)				(17/64" ID x 7/16" OD x
12	510-0022	1	Cup, Roller Bearing				1/22" Thk)
13	510-0021	1	Cone, Roller Bearing				


OPTIONAL NUMBER 30 REDUCTION GEARBOX (4:1)



REF.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
NO.		-		16	518-0013	1	Ring, Retainer
1	REDUCTION	N GEAR A	SSEMBLY	17	190-0202	1	Spacer, Bearing
	190-0193	1	Mounted Left Side Horizontal	18	190-0192	4	Shaft, Take-Off
	190-0299	1	Mounted Right Side Horizontal	19	515-0103	4	Key, Take-Off Shaft
	190-0410	1	Mounted Vertical Down			1	
2	190-0050	1	Housing - Includes Cover	20	510-0023		Cone, Roller Bearing
			(Also Order 2 #516-0012 Pins)	21	510-0024	1	Cup, Roller Bearing
3	516-0012	2	Pin. Dowel	22	850-0045	12	Washer, Lock - Spring (5/16")
4	190-0020	1	Gasket, Housing to Engine	23	PLUG, PIPE		
5	190-0021	1	Gasket, Cover to Housing		505-0054	3	Mounted Left Side and Mounted
6	190-0016	1	Plate, Bearing Retainer				Right Side Gear Box
7	190-0115	1	Shim Set, End Play Adjustment		505-0054	2	Mounted Vertical Down Gear Box
8	509-0016	1	Seal, Oil	24	190-0306	2	Gasket, Bearing Plate to Housing
_			Washer, Pinion Gear	25	800-0028	16	Screw, Cap - Hex Head
9	190-0195	1	Key, Pinion Gear				(5/16-18 x 1")
10	515-0142	1		26	526-0063	4	Washer, Flat - Copper
11	190-0447	1	Gear, Pinion				(17/64" ID x 7/16" OD x 1/32" Thk)
12	510-0022	1	Cup, Roller Bearing	27	800-0007	4	Screw, Cap - Hex Head (1/4-20 x
13	510-0021	1	Cone, Roller Bearing	21	000 0007	-	1")
14	190-0190	1	Gear, Driven	28	505-0007	4	Bushing, Reducer - Mounted
15	515-0159	1	Key, Driven Gear	20	505-0007	I	Vertical Down Gear Box
				2 9	518-0172	1	Vent, Mounted Vertical Down Gear Box

,

OPTIONAL NUMBER 31 CLUTCH



REF.	PART	QTY.	PART
NO.	NO.	USED	DESCRIPTION
	1 90- 0178	1	Kit, Clutch - Complete
1	190-0171	1	Adapter, Clutch to Engine
2	515-0041	1	Key, Clutch
3	190-0174	1	*Clutch Assembly
4	850-0055	3	Washer, Lock - Spring (7/16")
5	800-0074	1	Screw, Cap - Hex Head
			(7/16-14 x 1-3/4")
6	800-0075	2	Screw, Cap - Hex Head
			(7/1-14 x 2")
7	520-0126	1	Stud (3/8 x 3-7/8")
8	104-0091	1	Nut, Hex (Special)
9	800-0053	1	Screw, Cap - Hex Head
			(3/8-16 x 1-3/4")
10	800-0054	2	Screw, Cap - Hex Head
			(3/8-16 x 2″)
11	850-0050	4	Washer, Lock - Spring (3/8")

 For components, check Clutch nameplate and contact your nearest Rockford dealer.

.

OPTIONAL NUMBER 32 SPIN ON OIL FILTER - BEGIN SPEC G

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	122-0321	1	Gasket, Filter Adapter
2	526-0065	2	Washer, Flat - Copper (21/64" ID x 9/16" OD x 1/16" Thk)
3	800-0028	2	Screw, Cap - Hex Head (5/16-18 x 1")
4	122-0320	1	Adapter, Filter
5	122-0445	1	Filter, Spin-On
6	122-0347	1	Seal, Air
7	122-0345	1	Tube, Oil Drain
8	505-0057	1	Plug, Adapter Outlet (1/8")




6

OPTIONAL NUMBER 33 CARTRIDGE TYPE OIL FILTER


REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	122-0091	1	Filter, Oil (Includes Cartridge)
2	122-0088	1	Bracket, Filter Mounting
3	502-0003	1	Connector, Oil Filter Outlet
4	501-0005	1	Line, Oil Filter Return
5	502-0002	1	Elbow, Oil Filter Inlet
6	501-0008	1	Line, Oil Filter Inlet
7	122-0037	1	Cartridge, Oil Filter
8	502-0058	1	Tee, Oil Pressure Line
9	502-0003	1	Connector, Oil Pressure Line
10	502-0002	1	Elbow, Oil Return Line


 \sim



LS-1053

OPTIONAL NUMBER 34 AIR HOUSING - VACU FLO COOLING (AND FLYWHEEL)






REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION				
1	SCROLL, AIR	DISCHA	RGE (Includes Guard)				
	134-3103	1	Mounted in 6 o'clock position				
	134-3070	1	Mounted in 9 o'clock position				
	134-3041	1	Nounted in 3 o'clock position or 12 o'clock position				
2	HOUSING, BL	.OWER					
			Begin Spec J				
	134-2795	1	Key 2				
	134-2796	1	Key 4				
	134-1576	1	Spec G and H				
	134-1284	1	Spec A through F				
3	192-0272	1	Sheave, Rope				
4	WHEEL, BLOWER						
	134-0565	1	Spec A through G				
	134-0753	1	Begin Spec J				
5	FLYWHEEL (I	ncludes l	Ring Gear)				
	104-0302	1	Key 2				
	104 -04 91	1	Key 4				
6	INDICATOR,	IGNITIO	N TIMING - BEGIN SPEC E				
	166-0519	1	Right Side				
	166-0555	1	Left Side				

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
7	517-0021	3	Plug, Dot Button (7/8")
8	800-0002	4	Screw, Cap - Hex Head (1/4-20 x 3/8")
9	853-0013	4	Washer, Lock - ET (1/4")
10	526-0015	4	Washer, Flat (9/32" ID x 9/16" OD x 1/16" Thk)
11	800-0010	4	Screw, Cap - Hex Head (1/4-20 x 1-3/4")
12	850-0040	4	Washer, Lock - Spring (1/4")
13	160-0500	1	Bracket, Timing - Key 2 and 4 Spec A through D
14	134-2956	1	Guard, Scroll Outlet
15	815-0421	4	Screw, Cap - Hex Head (#10-16 x 1/2")
16	517-0035	1	Plug, Dot Button (Timing Hole)
17	134-0673	1	Gear, Ring - Flywheel
18	517-0009	1	Plug, Dot Button - Spec G and H

OPTIONAL NUMBER 35 REDI-PULL STARTER - KEYS 1 AND 3



REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION		REF. NO.	
	KIT, STAR	TER - COMP	LETE		21	870
	192-0325	1	Begin Spec E (Includes Parts Marked †)		22	526
	192-0215	1	Specs A through D (Includes Parts Marked Δ)		23	526
1	192-0045	1 †	△Rope and Grip Assembly		24	192
			(Includes Parts Marked □)		25	516
2	192-0043	1 †2	10Rope		26	526
3	192-0044	1 †2	∆□Grip		20	020
4	517-0025	1 †4	∆□Plug, Grip		27	815
5	526-0021	1 †2	Washer, Flat (17/64" ID x		21	0.0
			3/4" OD x 1/16" Thk)		28	850
· 6	192-0153	1 †	∆Wheel, Cog		29	800
7	51 6 -0138		ΔPin, Roll		29	000
8	192-0039	,	∆Spring, Recoil		0 4	
9	526-0123		∆Washer, Thrust		31	815
10	192-0180		△Sheave, Rope (Includes Parts Marked *)		32	526
11	192-0172	2 +4	A*Pawl		~~	
12	192-0165		A*Spring, Pawl		33	526
13	192-0168		A*Arm, Ratchet		~ .	
14	516-0110		A*Pin, Roll (2) Pawl		34	192
		· ,_	(2) Ratchet Arm		~~	
15	192-0167	1 + 4	A*Clamp, Rope		35	192
16	192-0163		△Bearing, Sheave Hub			
17	192-0323		△Screw, Cap - Socket Head			
		• •	(Special)	ـ	•	
18	862-0003	1 †	∆Nut, Hex (3/8-16)	†		arts I arts I
19	192-0152		∆Cover, Starter			
20	192-0186		△Ring, Mounting	•		arts I
		• •	Z		- Pa	arts I

:

NO.	PART NO.	QTY. USED	PART DESCRIPTION
21	870-0110	4	†∆Nut, Speed Grip (1/4-20)
22	526-0180	4	†∆Washer, Flat (17/64" ID x 7/8" OD x 1/8" Thk)
23	526-0130	4	†∆Washer, Flat (17/64" ID x 1" OD x 1/16" Thk)
24	192-0309	1	†Wheel, Ratchet - Begin Spec E:
25	516-0132	1	†∆Pin, Spiral - Brass
26	526-0168	1	†∆Washer, Flat (1-15/32" ID x 3" OD x .047" Thk)
27	815-0137	4	†∆Screw, Cap - Hex Head (1/4-20 x 1-1/4")
28	850-0050	1	†∆Washer, Lock - Spring (3/8")
29	800-0007	4	†∆Screw, Cap - Hex Head (1/4-20 x 1-1/4")
31	815-0137	2	†∆Screw, Cap - Hex Head (1/4-20 x 1-1/4")
32	526-0158	4	†∆Washer, Flat (.261" ID x 1" OD x 1/8" Thk)
33	526-0015	2	†∆Washer, Flat (9/32" ID x 9/16" OD x 1/16" Thk)
34	192-0170	1	∆Wheel, Ratchet - Specs A through D
35	192-0218	2	∆Screw, Cap - Hex Head - Specs A through D

Included in 192-0325 Starter Kit. Included in 192-0215 Starter Kit. Included in 192-0045 Rope and Grip Assembly. Included in 192-0180 Rope Sheave.



OPTIONAL NUMBER 36 CHOKE (SISSON)


REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	153-0223	1	Choke, Sisson
2	153-0361	1	Link, Choke to Carburetor
3	516-0059	1	Pin, Cotter
4	526-0006	1	Washer, Flat (15/64" ID x 1/2" OD x 3/64" Thk)
5	152-0155	1	Swivel, Choke to Linkage
6	815-0104	1	Screw, Fillister Head Machine . (#8-32 x 5/16")
7	815-0315	2	Screw, Cap - Hex Head W/ET (1/4-20 x 1/2")

FS-1236

6

ż


OPTIONAL NUMBER 37 FUEL PUMP - VACUUM PULSE KEY 4 - SPEC J



REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	149-1982	1	Pump, Fuel - Vacuum, Pulse (Includes Parts Marked*)	15	526-0063	2	Washer (Copper) - Hole Cover Plate (17/64" ID x
2	142-0540	2	*Screw - Pump Cover to Body				7/16" OD x 1/32" Thk)
3	149-1323	1	*Gasket - Cover to Valve Assembly	16	149-1329	1	Bracket, Mounting - Pulse
4	142-0541	1	*Gasket - Pump Cover				Pump
5	142-0545	1	*Spring - Fuel Pump	17	503-0573	1	Hose, Fuel - Upper
6	149-1983	1	*Cover, Pump (Includes				(1/4" ID x 16")
			Cap and Clamp)	18	503-0301	3	*Clamp, Hose (7/16")
7	149-1324	1	*Base, Pump	19	149-1321	1	*Cap, Fuel Fitting
8	142-0552	1	*Plate, Drive - Fuel Pump	20	332-0051	2	Clip, Wire (7/16")
9	142-0555	1	*Diaphragm - Fuel Pump	21	503-0385	1	Hose, Fuel - Lower
10	142-0537	1	*Valve Assembly, Reed				(1/4" ID x 8")
			 Fuel Pump (Includes Cap and Clamp) 	22	812-0061	4	Screw, Round Head - Machine (#6-32 x 3/8")
11	149-0136	1	Plate - Fuel Pump Hole Cover	23	813-0102	2	Screw, Round Head -
12	149-0003	2	Gasket, Fuel Pump Hole Cover				Machine (#10-32 x 5/8")
13	502-0018	1	Fitting - Pulse Pump	24	870-0131	2	Nut, Hex (W/ET 10-32)
14	800-0004	2	Screw, Cap - Hex Head	25	870-0183	4	Nut, Hex (W/ET 6-32)
			- Fuel Pump Hole Cover (1/4-20 x 5/8")	26	149-1330	1	Line, Pulse Pump

* - Parts Included in 149-1982 Fuel Pump.

.



MISCELLANEOUS OPTIONAL PARTS

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	123-0810	1	Tube, Breather (1-9/16" Diameter x 4-7/8" Long) - Specs A through H		167-1343	1	Left Side 23-1/2" Long - Rubber Covered Terminal -
2	123-0315	1	Valve, Breather (1-9/16" Diameter) - Specs A through H		167-1071	1	Spec A through F 7-1/4" Long - Eye Type
3	123-0787	1	Cap, Breather Tube (1-9/16" Diameter) - Specs A through H			·	Terminal - Engine with Top Mounted Coil - Spec A through F
4	123-0853	1	Hose, Breather Cap Extension (Use with 1-9/16" Diameter Cap) - Specs A through H		167-1315	1	7-1/2" Long - Rubber Covered Terminal - Engine with Top Mounted Coil -
5	110-1037	2	Valve, Intake - Chrome Cobalt				Spec A through F
6	150-0635	ī	Arm, Extension - Governor Arm (Rear Pull)	20	160-0624	1	Clamp, Coil - Top Mounted - Specs A through F
7	150-0755	1	Arm, Extension - Governor Arm (Front Pull)	21	160-0625	1	Bracket, Coil - Top Mounted - Spec A through F
8	150-0752	1	Arm, Extension - Governor Arm (Right Side Pull)	22	166-0250	2	Cover, Spark Plug Terminal - Specs A through H
9	150-0790	1	Arm, Extension - Governor Arm (Left Side Pull)	23	166-0253	2	Spring, Contact - Spark Plug Cover - Specs A through H
10	134-2824	1	Guard, Flywheel Capscrew	24	308-0140	1	Switch, Ignition on-off -
11	105-0238	1	Camshaft - Key 4 Without				Begin Spec F
12) PIN ASS	Spark Advance Mechanism EMBLY (Piston Has Round Holes	25	405-1059	1	Anti-Vibration Package - Vacu-Flo Cooled Engines
			d Top Groove is	26	102-0558	1	Heater Assembly, Oil Base
	9/32" from to 112-0170	p of Pisto 2	n) Standard Size	27	309-0237	1	Switch, Low Oil Pressure (Also A sending Unit)
	112-0170-05 112-0170-10	2	.005" Oversize .010" Oversize	28	502-0058	1	Tee, Low Oil Pressure Switch
	112-0170-20	2	.020" Oversize	29	NIPPLE, OIL	DRAIN	Switch
	112-0170-20	2	.030" Oversize	23	505-0342	1	3/8 x 5-1/2" (Early Models)
	112-0170-30	2	.040" Oversize		505-0081	1	1/2 x 5-1/2" (Late Models)
13	155-1239	2	Clamp, Muffler (1-5/8")	30	CAP, PIPE	•	
14	MUFFLER, E		(Use With Ray Gun Muffler)		505-0618	1	Use With Muffler 155-1253 (1-1/2") - Spec J
	155-0510	1	Right Side Outlet 3" Diameter x 15-7/8" Long		505-0329	1	Use With Exhaust Manifold 154-1909 (1-1/4") - Spec J
	155-0859	1	3-1/2" Diameter x 16-1/2"	31	COUPLING.		
	100 0000	•	Long	0.	505-0028	1	3/8" (Early Models)
			Left Side Outlet		505-0014	1	1/2" (Late Models)
	155-0550	1	3" Diameter x 15-7/8"	32	307-0367	1	Solenoid, Start (12 Volt)
	155-0859	1	Long 3-1/2" Diameter x 16-1/2"	33	103-0387	1	Gearcase (Includes Oil Seal) - Manual Speed Controlled
			Long				Engines
	155-1660	2	3.24" Dia x 6.3" Long (Ray Gun)	34	105-0030	1	Gear, Timing - Manual Speed Controlled Engines
	155-1698	2	Spark Arrestor (Ray Gun)		105-0150	1	Key 1 and 2
	155-1253	1	3-1/2" Dia x 19-3/16" Long		105-0233	1	Key 3 and 4 (Includes Spark
			(Crossover Left and Right				Advance Mechanism Pins)
			Outlet)	35	313-0018	1	Switch, Push Button (Stop)
15 16	505-0041 140-1348	1 1	Elbow, Pipe - Exhaust Base, Air Cleaner (Long	36	105-0058	1	Plunger, Camshaft Thrust - Manual Speed Controlled
			Mounting Tube for Higher Elevation above Carburetor) -	37	105-0059	1	Engines Spring, Camshaft Plunger -
17	123-1284	1	Begin Spec J Hose, Breather (Use with Tall				Manual Speed Controlled Engines
			Air Cleaner Base) - Begin Spec J	38	154-1909	1	Manifold - Exhaust - Crossover Spec J
18	140-1218	1	Wrapper - Air Cleaner Element (Polyurethane) - Begin Spec J	39	154-1757	2	Adapter Assembly, Manifold Use with 155-1660 Muffler
19	CABLE, SPA	RK PLUG	Right Side				And 155-1698 Spark Arrestor - Spec J
	167-1594	1	Kit - Non-Resistor	40	110-1000	2	Insert, Intake (Stellite)
	107 1000		Specs A through F	41	110-1827	2	Guide, Intake Valve
	167-1330	1	17-1/2" Long - Eye Type Terminal - Engine with	42	509-0090	2	Seal, Oil - Intake Valve (Includes Ret. Rings)
			Top Mounted Coil -	43	502-0020	1	Elbow, Street - Oil Line
	167-1460	1	Spec A through F 17-3/4" Long - Rubber Covered Terminal - Engine	44	501-0005	1	Line, Öil
			with Top Mounted Coil - Spec A through F				