

The terrific







Dig deep, dig straight at low cost.



You'll learn to operate the hydraulic controls quickly.



Retractable legs speed leveling and get you through narrow gates like a breeze.

Dig fast at low cost with a

Terramile BACKHOE

Here's a small backhoe, designed with plenty of power and ruggedness to dig fast at extremely low cost. It costs less to buy, less to maintain, and less to operate. Under average conditions it will dig a ditch 16 inches wide, 3 feet deep, and 40 feet long in one hour! No wonder we call it the terrific */ Terramite/"

This unusual backhoe is extremely easy to operate. In no time at all you'll be moving the " terranile" into places where big equipment can't begin to operate. You'll go through garden gates, between narrow buildings and most tight places.

Big equipment costs big money. The **terramile** does the same job at about one-third the cost!

Utility companies use the * /tevramile/ " to dig trenches for pipe and conduit.

Contractors find this small backhoe does most jobs — at much lower cost. You can move this baby around quickly on a pick-up truck — no slow road travel — or heavyweight truck moving expense.

Home builders dig basements, foundation trenches, septic tank tile ditches . . . faster and less expensive than hand labor or high-priced big equipment.

Industrial firms like the " / Ierramile / " because it will work in tight spots where big backhoes can't operate.

Road contractors don't have to bulldoze a road eight feet wide for the */ terramile / "

Cemeteries find this small, dependable rig digs graves, foundations, and ditches fast — at low cost.

Anyone who digs ditches should seriously consider the money-saving */ Textamile / #



The rear stabilizing leg prevents tipping.



Digs a ditch 16 inches wide, 3 feet deep, and 40 feet long in one hour! Swings vertically 90° . . . 45° to either side.



Save dollars every time the bucket takes a big bite.



Bucket digs 6 feet and 4 inches deep.



DIGS DEEP DIGS STRAIGHT COSTS LESS . .



Make more money with "the terrific /terramite/."

SPECIFICATIONS

Length (with handles) 11' 6"

Front Pads, Width: 65" (Retractable)

Dual Wheel Width: 37"

Boom Down, Height: 45"

Boom Up to Max. Height: 7' 10"

Total Swing: 90°; To either side of center 45°

Maximum Digging Depth: 6' 0"

Effective Reach: 6' 10"

Power Plant: Tractor. Transports and operates a 1450 psi, vane-type hydraulic pump sup-plying power to 7 Spool control valves through 4000 psi hydraulic lines with heavy-duty fittings. Valves set at 1450 psi.

Construction: Welded frame, boom, and components.

Tires: Dual, pneumatic, 4:00 x 8.

Fuel: Gasoline, Capacity, 13/4 gallons.

Weight: 1500

Manufactured by

DIESEL SALES & SERVICE, INC.

P. O. BOX 9247, SPRING HILL STATION SOUTH CHARLESTON, W. VA. 25309

CONRAD'S LANDSCAPE NURSERY 7300 ALLENTOWN BLVD. HARRISBURG, PA. TELEPHONE: SHOP 545-1606 HOME 232-8551